

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A



Ada® Training Curriculum



Using the Ada Language Retero

Teacher's Guide

DI CECTE ME 1 184 Ш

Nethers, MA 02154 SOFTECH, INC. 160 Totten Pend

84

Contract DAAD07-83-C-K514

eications-Electron (CECOM)

Conter for Tactical Com

OTIC FILE COPY

(CENTACS)

186 25 ۷٥

. Ade is a registered trademark of the U.S. Government, Ada Joint Program Office

*Approved For Public Release/Distribution Unlimited

(L402)

USING THE Ada LANGUAGE REFERENCE MANUAL

- INTRODUCE YOURSELF AS THE INSTRUCTOR AND HAVE STUDENTS INTRODUCE THEMSELVES
- STATE THE NAME OF THE COURSE WITH A BRIEF DESCRIPTION
- QUICKLY REVIEW COURSE HANDOUTS TO BE SURE EACH STUDENT HAS THEIRS.
- STATE UP FRONT THAT THIS COURSE IS NOT FOR THE CASUAL USER OF Ada AND THAT ITS PURPOSE IS NOT TO TEACH THE Ada LANGUAGE
- IT IS A COURSE FOR LANGUAGE LAWYERS, THE PEOPLE WHO WILL BE ANSWERING THE QUESTIONS OF OTHERS IN AN ORGANIZATION.

VG 703

Section 1
INTRODUCTION


		•		(9 8 P. T.	<u>) </u>
For	20 00	101	/uc	ity Codes	Avail and/or Special	-
Accession For	NTIS GRA&I DIIC TAB Unannounced	Justinication	Distribution/	Availability Codes	Avail Dist Spe	1-4
					A	

2222 Contract 12222

SHOW WHERE THE STUDENTS ARE IN THE CURRICULUM.

VG 703

1-11



- EXPLAIN THAT THE FIRST FIVE TOPICS WILL BE COVERED QUICKLY IN THE MORNING OF THE FIRST DAY
- THE LAST TOPIC, CHAPTER TOPICS, IS THE MEAT OF THE COURSE. THE MAJORITY OF THE TIME WILL BE SPENT ON IT. SOME CHAPTERS ARE WORE COMPLEX THAN OTHERS. THE COMPLEX ONES WILL BE GIVEN MORE TIME THAN THE "EASY" ONES. SOME "EASY" CHAPTERS, FOR EXAMPLE CHAPTER 5, MAY BE SKIPPED ENTIRELY, DEPENDING ON TIME.

INTRODUCTION	} 90 minutes	Chapter 4 Chapter 6	} 30 minutes } 30 minutes
BREAK		Chapter 7	} 30 minutes
STRUCTURE OVERVIEW Chapter 1 Chapter 2	<pre>} 60 minutes } 20 minutes } 10 minutes</pre>	Chapter 9 Chapter 12	} 60 minutes } 30 minutes
LUNCH		רחאכא	
Chapter 8	} 90 minutes	Chapter 11 Chapter 10 Chapter 13	<pre>} 30 minutes } 30 minutes } 30 minutes</pre>
BREAK		BREAK	
Chapter 3	} 90 minutes	Chapter 5 Chapter 14 CONCLUSION	<pre>} 25 minutes } 55 minutes } 10 minutes</pre>
	•		

VG 703

DY≺

γ

1-21

<u>ن</u> از

F -

•

COURSE TOPICS

图图

- GOALS
- COURSE RATIONALE
- PREREQUISITE
- LRM HISTORY
- LRM STRUCTURE
- CHAPTER TOPICS

A QUICK INTRODUCTION OF THE LRM STRUCTURE IS NEEDED FOR BACKGROUND

WE DON'T HAVE TIME. SYNTAX STRUCTURE IS A REVIEW. IF STUDENTS SEEM UNFAMILIAR WITH BNF NOTATION EXPLAIN THAT THIS COURSE IS NOT DESIGNED TO TEACH SYNTAX.

VG 703

LRM STRUCTURE

Ŋ

- SYNTAX NOTATION
- LANGUAGE TERMS
- NOTES AND EXAMPLES
- REFERENCES
- ANNEXES
- APPENDICES

- THESE TOPICS WILL BE REPEATED FOR EACH CHAPTER
- BRIEFLY DESCRIBE THE COURSE FORMAT
- MIXTURE OF LECTURE AND IN CLASS EXERCISES (MOST OF THE TIME WILL BE SPENT DOING AND DISCUSSING EXERCISES)
- NO HOMEWORK (OTHER THAN READING THE LRM AND POSSIBLY THE IMPLEMENTORS! GUIDE)
- BECAUSE OF TIME CONSTRAINTS, CLASS EXERCISES WILL HAVE A TIME LIMIT. MAY NOT BE ENOUGH TIME FOR STUDENTS TO DO ALL THE EXERCISES.
- THE EXERCISES MODEL REAL LIFE WHERE QUESTIONS CAN'T ALWAYS WAIT UNTIL THE NEXT DAY FOR ANSWERS
- ANSWERS OR SOLUTIONS WILL BE DISCUSSED IN CLASS

CHAPTER TOPICS

CHAPTER OUTLINE

DISCUSS ANY KEY ISSUES DESCRIBED IN THE CHAPTER

EXAMPLE PROBLEM AND SOLUTION

EXERCISES

DISCUSS SOLUTIONS

TO GET OUT OF THE COURSE, WHAT BACKGROUND THEY SHOULD HAVE, AND WHY THEY SHOULD BOTHER THE PURPOSE OF THE NEXT FEW SLIDES IS TO STATE UPFRONT WHAT THE STUDENTS SHOULD EXPECT STUDYING THE LRM.

VG 703

COURSE GOALS

Z

TO ENABLE STUDENTS TO CORRECTLY INTERPRET THE ADA LANGUAGE THROUGH:

KNOWLEDGE OF THE LRM

KNOWLEDGE OF THE ADA BOARD

- THE MODULE IS ABOUT USING THE LRM, NOT ABOUT USING ADA.
- THE LRM WILL NOT BE WALKED THROUGH CHAPTER BY CHAPTER OR PARAGRAPH BY PARAGRAPH.
- EXPLAIN THAT KNOWING THE LRM STRUCTURE, THE MEANING OF SPECIAL LANGUAGE TERMS, AND BEING AWARE OF CERTAIN SEMANTIC RAMIFICATIONS WILL HELP THE STUDENT TO CORRECTLY ANSWER ADA RELATED QUESTIONS.
- ASK THE STUDENTS TO OPEN AND LEAF THROUGH THE LRM AS WE COVER CERTAIN SECTIONS. (I.E. TURN TO ANNEX A WHEN WE TALK ABOUT ANNEX A.)

COURSE GOALS

Ŋ

- FAMILIARIZE THE STUDENT WITH THE ADM LANGUAGE REFERENCE MANUAL (LRM)
- THROUGH KNOWING THE LRM STRUCTURE
- THE LANGUAGE TERMS
- SOME INTERESTING SEMANTIC RAMIFICATIONS
- ENABLE THE STUDENT TO CORRECTLY INTERPRET THE LRM
- THROUGH EXAMPLES AND SOLUTIONS

COULD POINT OUT THAT THE FIRST GOAL WAS NOT COMPLETELY MET. IF THE LRM WAS CLEAR AND CONCISE, THIS COURSE WOULDN'T BE NECESSARY.

LAST POINT, REMIND THEM AGAIN ABOUT THE ADA BOARD.

VG · 703

1-71

Ada LANGUAGE REFERENCE MANUAL GOALS

_

Ū

- PROVIDE A CLEAR, CONCISE AND COMPLETE DEFINITION OF THE LANGUAGE
- SPECIFYING WHICH ASPECTS OF THE LANGUAGE ARE UNDEFINED
- DEFINING WHERE IMPLEMENTATION DEPENDENT ASPECTS ARE DEFINED
- PROVIDE A MEANS OF RESOLVING LANGUAGE ISSUES
- THE LRM INTENDED TO BE THE SOLE MEANS BY WHICH LANGUAGE ISSUES ARE RESOLVED

では、10mmのでは、1

MENTION THAT ALTHOUGH CHAPTER 1 OF THE LRM DOES INDICATE THAT THE FORMAT USED IN SPECIFYING THE SYNTAX IS A SUGGESTED FORMAT, IT IS BY NO MEANS A REQUIREMENT AND NEVER WAS A GOAL

VG 703

NON-GOALS

Ž

(OF BOTH THE COURSE AND THE LRM)

- PROVIDE STYLE GUIDELINES
- INDENTATION TO IMPROVE READABILITY
- COMMENTS TO IMPROVE READABILITY
- NAMING CONVENTIONS
- PROVIDE ANSWERS TO IMPLEMENTATION SPECIFIC ISSUES
- HOW PROGRAM UNITS ARE INVOKED
- HOW EXECUTING UNITS ARE CONTROLLED
- REQUIRED SPEED OF EXECUTION
- FORM OR CONTENT OF ERROR AND WARNING MESSAGES
- EFFECT OF ERRONEOUS PROGRAMS
- SPECIFY THE INTENDED OR TYPICAL USE OF LANGUAGE FEATURES

WHAT WE ARE EXPLAIN THAT THERE SIMPLY ISN'T ENOUGH TIME TO TEACH EVERY DETAIL. TRYING TO DO HERE, IS ENABLE THEM TO INTERPRET THE LRM.

VG 703

COURSE NON-GOALS

學是

Ù

TO TEACH PROGRAMMING TECHNIQUES

TO TEACH EVERY DETAIL IN THE LRM

VG 703

EXPLAIN THAT HISTORICALLY THIS COURSE IS INTENDED FOR SENIOR LEVEL PEOPLE WHO ARE EXPECTED TO BE THE ADA EXPERTS. OTHERS WILL BE COMING TO THEM WITH PROBLEMS. TRYING TO PREPARE THEM, SO THEY WILL BE ABLE TO SOLVE THESE PROBLEMS.

GIVE SOME EXAMPLE OF QUESTIONS WHICH THEY SHOULD BE PREPARED FOR.

VG 703

THE ULTIMATE GOAL

TO BE ABLE TO ANSWER, "WHAT'S WRONG WITH THIS PROGRAM?"

- STRESS OFFICIALLY
- IMPLEMENTERS WHEN CHALLENGING VALIDATION MAY ONLY CITE THE LRM
- REQUESTS FOR BUG FIXES IN COMPILERS MUST CITE THE LRM

WHY STUDY THE LRM

K

ONLY THE ANSI STANDARD, MIL-STD-1815 A MAY BE USED TO OFFICIALLY RESOLVE Ada LANGUAGE ISSUES.

TO DISCOVER INGENIOUS LANGUAGE FEATURES.

- LIST REFERENCES NOT BASED ON THE LRM
- BARNE'S BOOK "PROGRAMMING IN ADA"
- WEGNER'S SELF ASSESSMENT
- MANY OTHERS

WHY THE LRM OVER OTHER REFERENCES?

I

OTHER REFERENCES SHOULD NOT BE USED BECAUSE THEY: MAY BE INCORRECT OR INCOMPLETE PARAPHRASES AND INTERPRETATIONS OF THE STANDARD.

MAY NOT BE BASED ON THE STANDARD.

HAVE NOT BEEN SUBJECTED TO THE SAME INTENSE SCRUTINY.

- THE IG'S GOAL OF TESTING ADHERENCE TO THE LRM CAUSED THE ANALYSIS WHICH LED TO THE SEMANTIC RAMIFICATIONS AND "ACCEPTED INTERPRETATIONS" OF VAGUELY DEFINED AREAS.
- EXPLICITLY TALKED OF HERE, ONLY MAJOR ONES. THEY MAY READ ABOUT THE REST IN THE STUDENTS WILL HAVE A COPY OF THE IG. HAVE THEM TURN TO AND READ AN INTERESTING SEMANTIC RAMIFICATION. POINT OUT THAT NOT ALL SEMANTIC RAMIFICATIONS WILL BE IG ON THEIR OWN TIME.
- NOT A STANDARD YET ANYWAY.
- IT EVEN STATES THAT THE LRM TAKES PRECEDENCE.
- STUDENTS WILL BE INTERESTED IN THE SECTION TITLED "SEMANTIC RAMIFICATIONS". HAVE THE STUDENTS OPEN THE IG. EXPLAIN ITS FORMAT. FOR THE MOST PART THE

THE IMPLEMENTERS' GUIDE

- PURPOSE IS TO DEFINE COMPILER VALIDATION PROCEDURES
- SIDE EFFECTS
- PRESENTS SEMANTIC RAMIFICATIONS (INTENDED FOR THE IMPLEMENTER TO BE AWARE OF BUT USEFUL FOR THE ADA PROGRAMMER TO BE AWARE OF)
- PRESENTS "ACCEPTED INTERPRETATIONS" OF LANGUAGE ISSUES
- WHEN IT DIFFERS FROM THE LRM, LRM TAKES PRECEDENCE
- IS SUBJECT TO CHALLENGE
- NOT A STANDARD
- HOWEVER, PROBABLY THE BEST REFERENCE FOR INTERPRETING THE LRM

EACH SECTION IN THE IG CORRESPONDS TO A LRM CHAPTER. IN EACH SECTION THERE ARE THESE SUBSECTIONS. THE FIRST, SEMANTIC RAMIFICATIONS WILL BE OF MOST USE TO THE STUDENTS. POINT OUT THAT BECAUSE THE UPDATED IG IS STILL UNDER DEVELOPMENT, THE COPY THEY HAVE IS INCOMPLETE.

VG 703

IG FORMAT

- SEMANTIC RAMIFICATIONS SUB-SECTION
- POINTS OUT UNOBVIOUS SEMANTIC RAMIFICATION OF SPECIAL INTEREST TO THE IMPLEMENTER
- COMPILE-TIME RESTRICTIONS SUB-SECTION
- EXPLICITLY LISTS LEGALITY RESTRICTIONS NOT EXPRESSED BY THE SYNTAX
- EXCEPTION CONDITIONS SUB-SECTION
- EXPLICITLY LISTS THE CONDITIONS UNDER WHICH AN EXCEPTION MUST BE RAISED
- TEST OBJECTIVES AND DESIGN GUIDELINES
- LIST TEST OBJECTIVES AND TEST GUIDELINES
- ASSUMPTIONS/GAPS
- DOCUMENTS LANGUAGE ASPECTS THAT ARE UNCLEAR OR INCONSISTENT (RARE IN THE STANDARD)

- WHEN TALKING ABOUT Ada 82
- STRESS THAT THE DIFFERENCES ARE SUBTLE
- COULD EASILY BE MISLED BY USING THE Ada 82 LRM IN SOLVING Ada QUESTIONS FOR **EXAMPLE:**

-- iegal in 82 -- illegal in the standard type Grandparent is (X, Y, Z); type Parent is new Grandparent type Child is new Parent; -package P is end P;

1-151

VG 703

PAST Ada LRMs

Ada 80 LRM

OUT OF DATE

SYNTACTIC DIFFERENCES AS WELL AS SEMANTIC DIFFERENCES

PARAMETERLESS FUNCTIONS

QUALIFIED EXPRESSIONS

Ade 82 LRM

SUBTLE SEMANTIC DIFFERENCES

CLOSE ENOUGH TO THE STANDARD TO BE DANGEROUS

- STRESS THAT MANY ARE BASED ON Ada 80.
- SOME ARE BASED ON Ada 82.
- ALL THAT ARE BASED ON 80 OR 82 CANNOT BE TRUSTED TO BE RIGHT.
- MANY INCOMPLETE REFERENCES ARE WRONG. IN AN ATTEMPT TO SIMPLIFY, STATEMENTS ARE MADE AS IF THEY ARE FACT. OFTEN THE STATEMENTS ARE INCORRECT.

Ada REFERENCE BOOKS

- OFTEN NOT BASED ON THE STANDARD
- BASED ON PAST REFERENCE MANUALS
- (Ada 80, 82, AND IN RARE CASES THE PRELIMINARY
- DESIGN FOR THE GREEN LANGUAGE)

TO GET SOMETHING ON THE MARKET

- OFTEN WRONG OR INCOMPLETE
- DUE TO AN INCOMPLETE UNDERSTANDING OF THE LANGUAGE
 - ON THE PART OF THE AUTHOR
- SOME INFORMATION IS DEEMED UNNECESSARY FOR THE INTENDED READER
- NONE GO INTO ENOUGH DEPTH OR DETAIL

- POINT OUT THAT:
- THE LRM DICTATES WHAT IS LEGAL.
- THE ADA BOARD INTERPRETS.
- THE AVO ENFORCES.
- COMPILERS MAY CONTAIN ERRORS IN AREAS:
- THAT ARE LIGHTLY COVERED IN THE VALIDATION SUITE.
- THAT ARE CHANGED DUE TO CHALLENGES OF THE VALIDATION SUITE.
- ALL ERRORS FOUND IN VALIDATED COMPILERS ARE REPORTED TO THE AVO AND THE VALIDATION SUITE IS UPDATED ACCORDINGLY.
- THERE ARE MANY AREAS WHERE THE COMPILER IS FREE TO DO THINGS ANY WAY THEY WISH. THESE AREAS MAY CHANGE FROM RELEASE TO RELEASE ALSO.
- THE COMPILER CHANGES, AND THE ODDS ARE FAIRLY GOOD THAT THE COMPILERS WILL CHANGE. ON THE WHOLE, CODING FOR THE COMPILER WILL CAUSE A LOT OF REWRITING OF CODE WHEN

CODING FOR THE COMPILER

- MEANS THAT THE COMPILER IS USED TO DECIDE WHAT IS LEGAL
- A COMPILER MAY CONTAIN ERRORS
- ADA COMPILERS ARE REGULATED BY THE Ada VALIDATION OFFICE (AVO)
- NEXT COMPILER RELEASE MAY BE DIFFERENT
- ERROR CORRECTIONS FOR RE-VALIDATION
- ENHANCEMENTS AND OPTIMIZATIONS MAY CAUSE A FEATURE TO BEHAVE DIFFERENTLY
- THE LANGUAGE ALLOWS MANY AREAS TO BE IMPLEMENTATION-DEPENDENT
- HANDLING OF ERRONEOUS PROGRAMS
- DEFINITION OF
- THE TYPE INTEGER
- THE PACKAGE SYSTEM
- IMPLEMENTATION-DEFINED ATTRIBUTES
- THESE CAN (ARE ALLOWED) TO CHANGE FROM COMPILER TO COMPILER
- CODING FOR A PARTICULAR COMPILER CAN BE VERY COSTLY!
- PORTABILITY DECREASES

- IN SUMMARY, STRESS THAT THE RATIONALE FOR THE COURSE IS "SINCE ONLY THE LRM CAN BE USED TO RESOLVE LANGUAGE ISSUES, HAVING PEOPLE LEARN TO READ IT AND INTERPRET IT CORRECTLY IS THE BEST WAY TO INSURE HIGH QUALITY SOFTWARE AT MINIMAL COSTS."
- BY QUICKLY IDENTIFYING PROBLEM AREAS MAJOR SOFTWARE REWRITES CAN BE AVOIDED.

SUMMARY POINTS

- MOST OTHER REFERENCES ARE INCOMPLETE, OR INCORRECT, OR BOTH
- COMPILERS ARE NOT STATIC, REGARDLESS OF CORRECTNESS
- MANY IMPLEMENTATION DEPENDENT AREAS EXIST
- ANSI STANDARD LRM IS THE ONLY COMPLETE AND (BY DEFINITION) CORRECT SPECIFICATION OF THE ADA LANGUAGE
- NEED TO UNDERSTAND THE LRM TO IDENTIFY (AND AVOID) PROBLEM AREAS IN PROGRAMS

- STRESS A STRONG BACKGROUND IN ADA
- RESTATE THAT THIS COURSE WILL NOT TEACH ANY OF THESE TOPICS
- QUESTIONS DEALING WITH WHAT THESE CONSTRUCTS ARE, OR HOW ONE WOULD USE THEM ARE NOT APPROPRIATE FOR THIS CLASS. WE WILL NOT SPEND TIME EXPLAINING THEM.

1-191

PREREQUISITES

STRONG BACKGROUND IN ADA!

- TRAINING AND EXPERIENCE IN THE FOLLOWING AREAS
- Ada PROGRAMMING
- GENERICS
- TASKS
- EXCEPTIONS
- DISCRIMINATED RECORDS
- PRIVATE TYPES
- LIMITED TYPES
- ENVIRONMENT TRAINING
- LINKERS
- LOADERS
- DEBUGGERS
- DATABASE

THESE QUESTIONS ARE ADDRESSED IN OTHER MODULES. HERE WE ARE INTERESTED IN WHAT THE LRM SAYS ABOUT THE LEGALITY OF THESE CONSTRUCTS.

VG 703

INAPPROPRIATE QUESTIONS

WHEN WOULD YOU WANT TO USE FEATURE X?

HOW DOES THE PROGRAM WORK?

WHY DOES THE LANGUAGE DEFINE IT THIS WAY?

HOW DO I IMPLEMENT MY SPECIFIC PROBLEM IN ADA?

FAMILIAR WITH THE LANGUAGE HISTORY. WE AREN'T COVERING THAT. WE ARE SPECIFICALLY THIS SECTION EXPLAINS THE HISTORY OF THE LRM. REMIND THE STUDENTS THAT THEY ARE TALKING ABOUT THE LRM AND ITS DEVELOPMENT. THE PURPOSE OF THIS SECTION IS TO GIVE THE STUDENTS AN IDEA OF HOW MUCH THOUGHT AND EFFORT WENT INTO ANALYZING THE LRM.

ALLOW 30 MINUTES FOR THIS SECTION.

Section 2 LANGUAGE REFERENCE MANUAL HISTORY

- THEY CONDITIONALLY ACCEPTED IT WITH A STRONG RECOMMENDATION THAT IT BE REWRITTEN. CONTRARY TO POPULAR OPINION, ANSI DID NOT REJECT THE 1980 VERSION OF THE MANUAL.
- THE AJPO (ADA JOINT PROGRAMMING OFFICE) DECIDED TO HAVE IT REWRITTEN DUE TO ANSI CONCERNS.

VG 703

Ada LANGUAGE REFERENCE MANUAL HISTORY

- ORIGINALLY PUBLISHED IN JULY 1980
- REPRINTED NOVEMBER 1980
- CORRECTION OF TYPOGRAPHICAL ERRORS
- CONDITIONALLY ACCEPTED AS AN ANSI STANDARD IN 1980
- NEEDED TO IMPROVE READABILITY
- NEEDED TO BE MORE RIGOROUS

- WORDING CHANGES AND CLARIFICATIONS IN MANY CASES HAD GREAT IMPACT ON THE LANGUAGE. POINT OUT THAT "WITHOUT AFFECTING THE LANGUAGE" WASN'T EXACTLY SUCCESSFUL.
- MANY OF THESE CHANGES ARE NOT NOTICEABLE TO THE AVERAGE USER.
- EXPLAIN MEANING (DIFFERENCES) BETWEEN THE REVIEWERS.
- REVIEWING MECHANISM WAS VIA THE ARPA-NET.
- REFER TO PRAGMA HANDOUT, THE NEXT FEW SLIDES REFER TO IT.
- SUGGEST THEY READ IT AT THEIR LEISURE TO GET A FLAVOR OF THE DEBATES AND ANALYZATION THAT WENT INTO THE REWRITING.

THE LRM REWRITTEN

- TO INCORPORATE ANSI CONCERNS
- WITHOUT AFFECTING THE LANGUAGE
- APPOINTED THE LANGUAGE DESIGN TEAM (LDT)
- HEADED BY JEAN D. ICHBIAH OF ALSYS
- REVIEWERS
- DISTINGUISHED REVIEWERS (APPOINTED BY CONTRACT)
- AUTHORIZED KIBITZERS (OTHER CONTRIBUTORS)
- VOLUNTARY REVIEWERS (ADDED MUCH LATER)
- MECHANISM FOR REVIEWING
- CHAPTER REVISIONS MADE AVAILABLE FOR REVIEW
- COMMENTS AND SUGGESTIONS SENT TO THE LDT
- SOME 4000 COMMENTS BY JULY 82
- RECEIVED FROM ALL OVER THE WORLD

THE ENTIRE SERIES OF COMMENTS IS A HANDOUT FOR THE STUDENT. WHAT FOLLOWS IN THE NEXT 5 SLIDES IS A BRIEF SUMMARY. SUGGEST THE STUDENTS READ THE COMMENTS AT THEIR LEISURE.

VG 703

2-31

EXAMPLE OF REVIEW COMMENTS

- A QUESTION WAS ASKED OF THE LDT, "CAN PRAGMAS EXTEND THE LANGUAGE"?
- THE LDT RESPONSE WAS TO REQUEST REVIEWERS TO SUPPLY SUGGESTED WORDINGS.
- THE LEGALITY AND MEANING OF A PROGRAM CANNOT BE AFFECTED BY THE PRESENCE OF WORDING SUGGESTED BY WRITERS OF THE IMPLEMENTERS' GUIDE, (ESSENTIALLY THAT A PRAGMA) CAUSED GREAT CONTROVERSY.

Ĩ

L

- CORRECT PROGRAM; AND INTERFACE VIOLATES IT, BECAUSE WHEN PRESENT, A BODY SUPPLIED ELABORATE VIOLATES THIS RULE BECAUSE IT COULD MAKE AN ERRONEOUS PROGRAM INTO A FOR THE SUBPROGRAM IS ILLEGAL, AND WHEN ABSENT A BODY MUST BE SUPPLIED.
- OTHER AREAS IN WHICH THE LANGUAGE COULD BE EXTENDED ARE
- IMPLEMENTATION DEFINED ATTRIBUTES
- ADDITIONS TO STANDARD AND/OR SYSTEM
- ADDITIONS TO THE COMPILATION LIBRARY

VIEWPOINT 1

- ADA ITSELF VIOLATES THIS RULE WITH SOME OF ITS PREDEFINED PRAGMAS (I.E. ELABORATE AND INTERFACE)
- WHEN PRAGMA INCLUDE WAS DROPPED FROM THE LANGUAGE, PART OF THE JUSTIFICATION FOR THIS WORDING WOULD DROPPING IT WAS THAT AN IMPLEMENTATION COULD ALWAYS ADD IT. FORBID THIS PRAGMA.
- THE AREA OF PRAGMAS IS JUST ONE OF A FEW AREAS IN WHICH THE LANGUAGE COULD BE EXPANDED, WHY RESTRICT JUST PRAGMAS.
- WE HAVE TWO CONFLICTING GOALS.
- MAXIMIZE PORTABILITY
- THE WORDING MUST LIMIT ARBITRARY AND INESSENTIAL EXTENSIONS WHILE ALLOWING EFFECTIVE USE OF ADA IN IMPLEMENTATION DEPENDENT APPLICATIONS IMPLEMENTATION AND ENVIRONMENTAL NECESSARY EXTENSIONS.
- CONCLUSION: NOTHING SHOULD BE SAID IN THE LRM CONCERNING THIS ISSUE.

THIS IS ESSENTIALLY A RESPONSE TO VIEWPOINT 1.

IN POINT 3, MENTION THAT HAVING NO RESTRICTION WOULD ALLOW PROGRAMS FOR INLINE INSERTION OF ASSEMBLY CODE, PRAGMA CHARACTER_SET, PRAGMA TRANSLITERATE, ETC.

VG 703

VIEWPOINT 2

THE RULE APPLIES TO IMPLEMENTATION-DEFINED PRAGMAS

INCLUDE A PREPROCESSOR FUNCTION, NOT A LANGUAGE FUNCTION

RESTRICTED OR PROGRAMS SUCH AS PRAGMAS MUST BE

WINK WINK WINK; DIMENSION IARR (10) READ (5, 100) IARR

100

FORMAT (1015)
DO 200 I = 1, 10
IF (IARR(I).GE.34) GO TO 200
WRITE (6, 100) IARR(I)
CONTINUE
WHO SAID LEARNING ADA WAS GONNA BE HARD?

BECOMES A LEGAL ADA PROGRAM.

200 C

AGREE THAT A MIDDLE GROUND MUST BE FOUND BETWEEN OUR CONFLICTING GOALS

CONCLUSION: SOMETHING MUST BE SAID IN THE LRM

VG 703

THE CONTROVERSY CONTINUED ...

THIS SUMMARIZES THE MAJOR POINT OF RON BRENDER COMMENT #3831.

NOTE THAT THE DRAFT CHAPTERS CHANGED AND SOME OF THE WORDING WAS INCORPORATED TO SAY THAT AN IMPLEMENTATION DEFINED PRAGMA MAY NOT EFFECT THE LEGALITY OF AN ADA PROGRAM.

VIEWPOINT 1

- LEGALITY SHOULD NOT BE USED TO DECIDE IF A PRAGMA IS ALLOWED.
- CAN ARGUE THAT ALL PRAGMAS, USED IN A CERTAIN WAY, WILL AFFECT THE MEANING (RESULT) OF THE PROGRAM.
- PRAGMAS ARE SUPPOSED TO INFORM THE COMPILER ABOUT THE EXECUTION ENVIRONMENT.
- CURRENT PRAGMAS MUST BE MODIFIED TO DO THIS OR ONE MUST BE DEFINED TO DO BOTH METHODS ARE NOT ALLOWED BY THE CURRENT WORDING. 50.
- THE UTILITY AND APPLICABILITY OF THE ADA LANGUAGE WILL BE SEVERELY CONSTRAINED.
- WITHOUT A CHANGE TO THIS WORDING, THE LANGUAGE IS NOT AN ACCEPTABLE ANSI STANDARD.

THE CONTROVERSY CONTINUED AFTER THIS UNTIL THE LDT (JEAN D. ICHBIAH) MADE A DECISION.

2-71

VG 703

VIEWPOINT 2

1

- LEGALITY CRITERION IS NOT PERFECT BUT IT'S BETTER THAN NOTHING.
- ORIGINALLY THE WORDING HAD BEEN "LEGALITY OR MEANING" BUT THIS WAS TOO VAGUE A CONCEPT TO SUPPORT.
- THE GOAL IS NOT TO ENFORCE PORTABILITY, BUT TO PREVENT THE LRM FROM BECOMING A MOCKERY.
- NO RESTRICTION WOULD BE EQUIVALENT TO APPENDING "IN THE ABSENCE IMPLEMENTATION DEFINED PRAGMAS" TO EVERY RULE IN THE LRM.
- NOT ACCEPTABLE STANDARD?
- SEMANTICALLY, THE LANGUAGE DOES NOT NEED PRAGMAS.
- THEY ARE A MATTER OF CONVENIENCE.
- THEY ARE NOT WORTH COMPROMISING THE INTEGRITY OF THE LANGUAGE.

THE FINAL WORDING OF THE STANDARD REMAINED ESSENTIALLY UNCHANGED.

REMIND THE STUDENT THAT THIS WAS JUST AN EXAMPLE OF ONE ISSUE IN WHICH COMMENTS WERE MADE.

VG 703

2-81

CONCLUSION

- LDT POSITION
- ANY COMPILER MUST BE ABLE TO CHECK THE LEGALITY OF ANY ADA PROGRAM.
- UNCONVINCED BY THE ARGUMENTS THAT PRAGMAS ARE NECESSARY.
- AGREE THAT WE WANT TO ALLOW PRAGMAS WHOSE EFFECT IS TO MODIFY TEXT, THE LEGALITY CHECK COULD BE APPLIED AFTER EXPANSION.
- NO WATERTIGHT WORDING FOR THIS RELAXATION, SO LEAVE SUCH PRAGMAS AS PREPROCESSOR DIRECTIVES.

. P. "MOSTLY ON TYPOGRAPHICAL ERROR" BUT NOT ALL. THERE ARE, AS STATED PREVIOUSLY, SOME VERY SUBTLE SEMANTIC DIFFERENCES.

- DRAFT PUBLISHED IN JULY 1982
- RECEIVED ABOUT 1000 ADDITIONAL COMMENTS
- MOSTLY ON TYPOGRAPHICAL ERRORS
- PRINTERS COPY, NOVEMBER 1982
- NOT AVAILABLE TO THE PUBLIC
- SENT TO REVIEWERS
- SENT TO ANSI
- MADE OFFICIAL ANSI STANDARD ON FEB 17, 1983

THE ADA BOARD MEMBERS REPRESENT THE GOVERNMENT, INDUSTRY, ACADEMIA, AND EUROPEAN THE MAJOR FUNCTION IS TO ADVISE THE AJPO DIRECTOR. INTERESTS.

THE ADA BOARD IS MENTIONED TO MAKE STUDENTS AWARE THAT THE LANGUAGE MAINTENANCE COMMITTEE ANSWERS QUESTIONS AND SUPPLIES ACCEPTED INTERPRETATIONS OF THE LRM. THE VALIDATION COMMITTEE ADVISES ON VALIDATION POLICY ISSUES. THE STANDARDS COMMITTEE IS INVOLVED WITH THE VARIOUS STANDARD ORGANIZATIONS SUCH AS MILITARY STANDARDS, ANSI, ISO, ETC. THE ORGANIZATION INTERFACES COMMITTEE IS INVOLVED IN PUBLIC RELATIONS.

THE ENVIRONMENTAL COMMITTEE IS INVOLVED WITH ISSUES RELATED TO THE APSE.

THE LANGUAGE MAINTENANCE COMMITTEE CAN BE REFERENCED DIRECTLY. THE LAST PAGE OF THE LRM GIVE DIRECTIONS FOR THIS.

THE ADA BOARD

- TECHNICAL ADVISORY BOARD TO THE DIRECTOR OF THE AJPO.
- CONSISTS OF VARIOUS COMMITTEES
- VALIDATION COMMITTEE
- LANGUAGE MAINTENANCE COMMITTEE
- STANDARDS COMMITTEE
- ENVIRONMENT COMMITTEE
- GRGANIZATION INTERFACES COMMITTEE
- CAN BE CONTACTED THROUGH THE AJPO.

AWARE OF THE DIFFERENT PARTS OF THE LRM AND, SPECIFICALLY, THEIR USEFULNESS IN READING THIS SECTION EXPLAINS THE STRUCTURE OF THE LRM. ITS PURPOSE IS TO MAKE THE STUDENTS THE LRM.

ALLOW 60 MINUTES FOR THIS SECTION.

BREAK HERE FOR 15 MINUTES.

Section 3

LRM STRUCTURE

POINT OUT THAT UNDERSTANDING THE SYNTAX IS THE FIRST STEP IN INTERPRETING THE LANGUAGE. (BUT ONLY THE FIRST STEP.)

"THE SYNTAX IS DEFINED TO BE CONTEXT-FREE ... '

VG 703

3-11

SYNTAX NOTATION

- CONTEXT-FREE SYNTAX TOGETHER WITH CONTEXT-DEPENDENT REQUIREMENTS
- VARIANT OF BACKUS-NAUR-FORM
- LOWER CASE WORDS DENOTE SYNTACTIC CATEGORIES

 ITALICIZED PART OF A NAME IS USED TO CONVEY SEMANTIC

 MEANING
 - .

BOLD FACE WORDS DENOTE RESERVED WORDS

- SQUARE BRACKETS [] ENCLOSE OPTIONAL ITEMS
- BRACES | | ENCLOSE REPEATED ITEMS
- VERTICAL BARS
- SEPARATE ALTERNATIVE ITEMS

EXAMPLE : NAME | {, NAME}

REPRESENTS ITSELF

EXAMPLE : CHOICE {|CHOICE}

- SPECIFIED IN SECTION 1.5 OF THE LRM
- A SYNTAX SUMMARY IS LISTED IN APPENDIX E

POINT OUT THAT THE EXISTENCE OF (BEFORE THE elself AND) AFTER Sequence_Of Statements INDICATES THAT THIS SECTION OF THE STATEMENT MAY BE REPEATED ZERO OR MORE TIMES.

POINT OUT THAT THE EXISTENCE OF [BEFORE THE else AND] AFTER Sequence_Of_Statements INDICATES THAT THIS PART OF THE 1° STATEMENT IS OPTIONAL.

NOTE THAT else CANNOT BE REPEATED.

POINT OUT THE RESERVED WORDS.

CONDITION AND Sequence_Of_Statements ARE OTHER SYNTATIC CATEGORIES.

IN THE LRM THEY WOULD BE BOLD FACED. RESERVE WORDS ARE UNDERLINED HERE. EXAMPLE : SYNTAX OF 18 STATEMENT

if_statement ::=

if Condition then

Sequence_Of_Statements

elsif Condition then

Sequence_Of_Statements|

[else

Sequence_Of_Statements]

end if;

VG 703

3-2

į

- ALLOW 10 MINUTES FOR THIS EXERCISE.
- THE ANSWER TO QUESTION 1 IS YES
- THE WORD constant IS OPTIONAL
- My_Tree IS AN IDENTIFIER, WHICH CAN BE AN Identifier_List
- THE : IS PRESENT
- Tree range Redwood .. Pine IS A VALID SUBTYPE INDICATION
- THE INITIAL EXPRESSION IS OPTIONAL
- THE ANSWER TO QUESTION 2 IS NO.
- DEFINITION OF SUBTYPE INDICATION, HAVE THEM LOOK IN THE SYNTAX SUMMARY, (On, Off) IS NOT A VALID SUBTYPE INDICATION. SHOULD STUDENTS NEED A APPENDIX E.

EXAMPLE PROBLEM

ACCORDING TO THE FOLLOWING SYNTAX RULES:

object_declaration ::= identifier_list : [constant] subtype_indication [:= expression];

identifier_list ::=
 identifier { identifier }
subtype_indication ::= Type_Mark [constraint]

1

My_Tree : Tree range Redwood .. Pine;

SYNTACTICALLY LEGAL?

2. IS

Switch : (On, Off);

SYNTACTICALLY LEGAL?

ALLOW 20 MINUTES FOR STUDENTS TO ATTEMPT PROBLEMS AND SOLUTIONS TO BE DISCUSSED.

ANSWERS:

- SYNTACTICALLY LEGAL, SPECIFICATION IN 7.1
- declarative_item CAN APPEAR ZERO OR MORE TIMES, IN THIS CASE ZERO.

 - private IS OPTIONAL, IN THIS CASE ALLOWED.
 AGAIN basic declarative item CAN APPEAR ZERO OR MORE TIMES.
 end NEED NOT BE FOLLOWED BY THE PACKAGE NAME.
- SYNTACTICALLY ILLEGAL, SPECIFICATION IN 2.4.1 5
- THE OPTIONAL UNDERLINE MUST BE FOLLOWED BY A DIGIT, . (PERIOD) IS NOT
- A VALID INTEGER . (PERIOD) MUST BE PRECEDED BY AN INTEGER, 3_ IS NOT
- SYNTACTICALLY LEGAL, SPECIFICATION IN 4.1.4 5
- Integer IS AN identifier, WHICH IS A simple_name, WHICH IS A name, WHICH IS A prefix
- Range IS A VALID attribute_designator

'RANGE CAN ONLY BE APPLIED NOTE THAT THIS IS ONLY SYNTACTICALLY CORRECT! TO AN ARRAY TYPE. IT IS SEMANTICALLY INCORRECT.

- SYNTACTICALLY LEGAL, SPECIFICATION IN 3.2
- IS A LEGAL identifier list string object : IS PRESENT
- String IS A LEGAL subtype indication

IT IS SEMANTICALLY ILLEGAL THAT THIS ALSO IS ONLY SYNTACTICALLY LEGAL. NOTE THAT THIS ALSO IS ONLY SYNTACTION BECAUSE OBJECTS MUST BE CONSTRAINED! **POINT OUT THAT ONE OF THE REASONS WE ARE STUDYING THE LRM IS BECAUSE SYNTAX ALONE DOES NOT SPECIFY THE LEGALITY OF A STATEMENT.

EXERCISES

USING APPENDIX E DETERMINE WHETHER OR NOT THE FOLLOWING ARE SYNTACTICALLY LEGAL.

- . package P is private end;
- 3_.105

5

- 3. Integer'Range
- . String_Object : String;

- BY LANGUAGE TERMS WE MEAN WORDS WHICH HAVE A SPECIAL MEANING IN Ada.
- THIS POINT OUT THAT WHEN THE ONES NOT EXPLICITLY DEFINED ARE USED IN LANGUAGE DEFINITIONS, THE LANGUAGE DEFINITIONS BECOME OPEN TO INTERPRETATION. IS OFTEN WHERE LANGUAGE ISSUES ARISE.
- APPENDIX D IS NOT PART OF THE STANDARD (LRM 1.2/4).

LANGUAGE TERMS

- WORDS WITH A VERY SPECIFIC MEANING IN Ada
- SOME LANGUAGE TERMS ARE NOT EXPLICITLY DEFINED
- THE DEFINITION IS UNCLEAR OR AMBIGUOUS
- THE MEANING IS OPEN TO INTERPRETATION
- MOST ARE LISTED IN THE GLOSSARY, APPENDIX D

į

.]

ĭ

į

Ĺ

), in the second of the second

THESE ARE EXAMPLES. EACH OF THESE HAS A VERY EXPLICIT MEANING. AS WE GO THROUGH THE CHAPTERS OF THE LRM, THE MEANING OF THESE TERMS WILL BE EXPLAINED.

VG 703

LANGUAGE TERM EXAMPLES

PROGRAM

ERRONEOUS

SCOPE

NAME

DENOTE

ELABORATION

APPROPRIATE FOR

- IN WRITING THE MANUAL, EXAMPLES AND NOTES WERE USED TO ILLUSTRATE THE INTENT OF THE RULES STATED IN THE SECTION OR CHAPTER.
- FOR THIS REASON SOMETIMES THE INTENT IS CONTRADICTED ELSEWHERE FOR SPECIAL CASES. NOTES SHOULD NOT BE RELIED ON.

3-71

VG 703

NOTES AND EXAMPLES

I

- ARE SCATTERED THROUGHOUT THE LRM
- ARE NOT CONSIDERED TO BE PART OF THE LANGUAGE DEFINITION
- THEIR PURPOSE IS TO CLARIFY THE RULES STATED
- WHEN THEY CONFLICT WITH WHAT IS STATED ELSEWHERE IN THE LRM, THEY ARE INCORRECT
- SHOULD NOT BE RELIED ON WHEN RESOLVING LANGUAGE ISSUES

- STRESS THAT THE REFERENCES ARE A VERY GOOD SOURCE FOR TRACING DOWN INFORMATION
- THEY TIE THE LRM TOGETHER
- HAVE THE STUDENTS OPEN TO SECTION 3.2 AND LOOK AT THE REFERENCES. MAKE SURE THEY KNOW WHAT THE REFERENCES ARE.

REFERENCES

- LISTED AT THE END OF EVERY SECTION
- INFORM THE USER WHERE FURTHER INFORMATION ON TOPICS DISCUSSED IN THAT SECTION CAN BE FOUND
- THE PRIMARY MEANS OF TRACING THROUGH THE LRM IN SEARCH OF ANSWERS
- **EXAMPLE:**

IN SECTION 3.2 ON OBJECT DECLARATIONS THE SECTION TITLED References AT THE END OF SECTION, LISTS 3.5.4 AS THE SECTION TO LOOK IN FOR MORE INFORMATION ON Universal_Integer

Ĭ

į

THESE ARE AT THE END OF THE LRM. STRESS THAT D, E, AND F ARE NOT PART OF THE LANGUAGE DEFINITION.

VG 703

ANNEXES AND APPENDICES

I

ANNEX A PREDEFINED LANGUAGE ATTRIBUTES

ANNEX B PREDEFINED LANGUAGE PRAGMAS

ANNEX C PREDEFINED LANGUAGE ENVIRONMENT

APPENDIX D GLOSSARY

APPENDIX E SYNTAX SUMMARY AND SYNTAX CROSS REFERENCE

APPENDIX F IMPLEMENTATION-DEPENDENT CHARACTERISTICS

NOTE : APPENDICES ARE NOT PART OF THE LANGUAGE DEFINITION

- HAVE STUDENTS OPEN TO ANNEX A
- POINT OUT THE USE OF "DENOTES" AND "IS APPROPRIATE FOR"
- "FOR A PREFIX P THAT DENOTES" MEANS "FOR A PREFIX P THAT NAMES OR IS". SECTION 3.1)
- A PREFIX IS DEFINED TO BE "APPROPRIATE FOR" A TYPE IF
- THE TYPE OF THE PREFIX IS THE TYPE CONSIDERED
- THE TYPE OF THE PREFIX IS AN ACCESS TYPE WHOSE DESIGNATED TYPE IS THE TYPE CONSIDERED (LRM SECTION 4.1)
- NOTE: THE PREFIX MUST BE SOMETHING WHICH HAS A TYPE, 1.e., AN **OBJECT**
- THEY WILL SEE THESE TERMS AGAIN, AND AGAIN ...

ANNEX A - PREDEFINED LANGUAGE ATTRIBUTES

- SUMMARIZES THE DEFINITIONS OF THE LANGUAGE DEFINED ATTRIBUTES
- SPECIFIES LEGAL PREFIXES FOR EACH ATTRIBUTE
- SPECIFIES THE RESULT VALUE AND TYPE FOR EACH ATTRIBUTE

Ĺ

HAVE STUDENTS NOW TURN TO ANNEX B.

3-111

VG 703

ANNEX B - PREDEFINED LANGUAGE PRAGMAS

- SUMMARIZES THE RULES FOR THE LANGUAGE DEFINED PRAGMAS
- STATES THE OBJECTIVE OF EACH PRAGMA
- EXPLAINS THE EFFECT OF EACH PRAGMA
- SPECIFIES THE ARGUMENT, IF ANY

Ī

į

- HAVE THE STUDENTS TURN TO ANNEX C.
- ANNEX C DOES NOT CONTAIN THE SPECIFICATION OF THESE OTHER LANGUAGE DEFINED LIBRARY UNITS. THEY ARE SCATTERED THROUGHOUT THE LRM.

3-121

VG 703

ANNEX C - PREDEFINED LANGUAGE ENVIRONMENT

OUTLINES THE SPECIFICATION FOR PACKAGE STANDARD

LISTS (IN A NOTE) OTHER LANGUAGE DEFINED LIBRARY UNITS

HAVE THE STUDENTS OPEN TO THE GLOSSARY WHILE DISCUSSING THE EXAMPLE.

3-131

VG 703

APPENDIX D - GLOSSARY

D

- NOT PART OF THE LANGUAGE DEFINITION
- DEFINES CERTAIN LANGUAGE TERMS
- NOT COMPLETE
- FOR INSTANCE Homograph IS NOT LISTED
- OFTEN UNHELPFUL
- Denote POINTS TO Declaration, WHICH USES Denote
- IN THE DEFINITION INSTEAD OF DEFINING IT. THE
- MEANING OF Denote IS MADE CLEARER BY THE DEFINITION OF Name.

HAVE STUDENTS NOW TURN TO APPENDIX E.

K

VG 703

APPENDIX E - SYNTAX SUMMARY AND SYNTAX CROSS REFERENCE

NOT PART OF THE LANGUAGE DEFINITION

SYNTAX SUMMARY

LISTS CONSTRUCTS IN THE ORDER THEY APPEAR IN THE LRM

HARD TO USE UNTIL YOU KNOW WHICH CONSTRUCTS APPEAR


IN WHICH SECTIONS

SYNTAX CROSS REFERENCE

LISTS THE SECTION IN WHICH SYNTACTIC ITEMS APPEAR

SHOULD BE USED IN CONJUNCTION WITH THE SYNTAX SUMMARY

ADA (TRADEMARK) TRAINING CURRICULUM USING THE ADA LANGUAGE REFERENCE MANUAL L482 TEACHER'S QUIDE(U) SOFTECH INC MALTHAM MA JUL 84 DAAB87-83-C-K514 F/G 9/2 AD-8143 582 UNCLASSIFIED NL



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

- HAVE THEM TURN TO APPENDIX F.
- SUGGEST THAT THE STUDENTS GET AN APPENDIX F FOR THEIR IMPLEMENTATION.
- AS AN EXAMPLE TO THE SECOND POINT, WESTERN DIGITAL RECENTLY PUBLISHED AND DISTRIBUTED THE LRM WITH APPENDIX F FOR THEIR IMPLEMENTATION.

APPENDIX F - IMPLEMENTATION-DEPENDENT CHARACTERISTICS

T

- NOT PART OF THE STANDARD
- EACH IMPLEMENTATION MUST SUPPLY ONE
- CONTAINS

IMPLEMENTATION DEFINED PRAGMAS
IMPLEMENTATION DEFINED ATTRIBUTES
SPECIFICATION OF PACKAGE SYSTEM
RESTRICTIONS ON REPRESENTATION CLAUSES
RESTRICTIONS ON UNCHECKED CONVERSION
SPECIFICS OF I/O PACKAGES

SHOULD BE REFERRED TO BECAUSE THE ANSWER TO MANY QUESTIONS WHICH ARISE WILL BE IMPLEMENTATION DEFINED

ALLOW 5 MINUTES FOR THIS EXERCISE.

ANSMER:

OBJECTS, PROGRAM UNITS, LABELS, AND ENTRIES CAN HAVE THE ATTRIBUTE ADDRESS APPLIED.

TYPES AND SUBTYPES CANNOT

ANSWER IS IN ANNEX A.

VG 703

EXAMPLE PROBLEM

LIST THE ENTITIES THAT THE ATTRIBUTE Address CAN BE APPLIED TO?

LIST THE ENTITIES THAT IT CANNOT BE APPLIED TO?

VG 703

ALLOW 20 MINUTES FOR THESE EXERCISES.

ANSWERS

- NO, IT MUST BE AN OBJECT OF A TYPE WITH DISCRIMINANTS OR A PREFIX THAT DENOTES A PRIVATE TYPE OR SUBTYPE. ARRAYS ARE NOT ONE OF THESE.
- YES, THE VALUE WOULD REPRESENT THE LOWER BOUND OF THE DESIGNATED INDEX (THE FIRST IF NONE IS SPECIFIED).
- THERE IS NO FIRST VALUE OR LOWER BOUND NO, THE VALUE WOULD BE MEANINGLESS. FOR RECORDS.
- NO, 'BASE MAY ONLY BE USED IN CONJUNCTION WITH OTHER ATTRIBUTES.
- ADDRESS

BASE

CALLABLE

COUNT

LAST BIT (IF THE COMPONENT IS A TASK) POSITION (IF THE COMPONENT IS A TASK)

SIZE

STORAGE SIZE TERMINATED

- CONSTRAINT_ERROR
- 웆
- 2
- SECTIONS 5.6, 11.1, 7.1, 8.5, 6.3, AND 9.1

VG 703

3-171

EXERCISES

- CAN THE ATTRIBUTE CONStrained BE APPLIED TO A PREFIX THAT DENOTES AN ARRAY TYPE?
- CAN THE ATTRIBUTE FIRST BE APPLIED TO AN OBJECT OF AN ARRAY TYPE? IF SO, WHAT WOULD THE VALUE THAT IS RETURNED REPRESENT?
- IF 50, CAN THE ATTRIBUTE FIRST BE APPLIED TO A PREFIX THAT DENOTES A RECORD TYPE? WHAT WOULD THE VALUE THAT IS RETURNED REPRESENT?
- subtype Int is Integer range 1 .. 10; X : Int'BASE; -- legal?
- . LIST THE ATTRIBUTES WHICH APPLY TO TASKS.
- 6. WHAT IS THE FINAL RESULT?

ueciare type Week is (Sun, Mon, Tue, Wed, Thu, Fri, Sat); Day : Week; begin

Day := Week'Pred (Week'Val (Week'Pos (Week'Last) +1)); end:

- IS Main A PREDEFINED PRAGMA?
- 8. CAN THE PRAGMA Shared BE APPLIED TO A CONSTANT?
- IN WHAT SECTIONS DOES THE SYNTACTIC ELEMENT exception APPEAR?

REMIND THEM THAT BECAUSE OF THE TIME, WE ARE NOT GOING INTO DEPTH, BUT ARE HIGHLIGHTING THIS IS THE REAL MEAT OF THE COURSE. SOME CHAPTERS, DEPENDING ON TIME CAN BE SKIPPED. IMPORTANT POINTS IN EACH CHAPTER.

WE START WITH CRITICAL CHAPTERS, ON WHICH OTHER CHAPTERS DEPEND.

VG 703

Section 4 CHAPTER TOPICS

THESE ARE THE LRM CHAPTERS. THE TITLES ARE AS THEY APPEAR IN THE LRM. COVERING THE CHAPTERS IN THIS ORDER. IN EACH CHAPTER, WE WILL PRESENT THE TOPICS COVERED IN THAT CHAPTER, HIGHLIGHT IMPORTANT INFORMATION, PRESENT AN EXAMPLE PROBLEM AND SOLUTION (FOR CHAPTERS 2 THROUGH 14), AND ASSIGN CLASS WORK PROBLEMS.

IMPORTANT LANGUAGE TERMS WILL BE PRESENTED AS THEY ARE ENCOUNTERED.

SHOULD GET THROUGH CHAPTER 3 THE FIRST DAY AND THROUGH CHAPTER 12 BY LUNCH THE SECOND DAY.

CHAPTER TOPICS

と見られてきる。 ■ ここのでは、 ■ こっいでは、 ■ こ

CHAPTER 1 - INTRODUCTION

CHAPTER 2 - LEXICAL ELEMENTS

CHAPTER 8 - VISIBILITY RULES

CHAPTER 3 - DECLARATIONS AND TYPES

CHAPTER 4 - NAMES AND EXPRESSIONS

CHAPTER 7 - PACKAGES

CHAPTER 6 - SUBPROGRAMS

CHAPTER 9 - TASKS

CHAPTER 12 - GENERIC UNITS

CHAPTER 11 - EXCEPTIONS

CHAPTER 10 - PROGRAM STRUCTURE AND COMPILATION ISSUES

CHAPTER 13 - REPRESENTATION CLAUSES AND IMPLEMENTATIONDEPENDENT FEATURES

CHAPTER 5 - STATEMENTS

CHAPTER 14 - INPUT-OUTPUT

THIS CHAPTER IS COVERED FIRST BECAUSE IT DEFINES MANY TERMS WHICH ARE USED THROUGHOUT THE LRM. IT IS IMPORTANT TO UNDERSTAND THESE TERMS.

ALLOW 20 MINUTES FOR THIS SECTION.

SECTION 5

LRM - CHAPTER 1

INTRODUCTION

THESE ARE THE TOPICS IN CHAPTER 1.

1.6 IS THE IMPORTANT SECTION. THE ERROR CLASSIFICATIONS ARE REFERRED TO THROUGHOUT THE LRM.

VG 703

5-11

SECTION TOPICS

Ŋ

- 1.1 SCOPE OF THE STANDARD
- 1.1.1 EXTENT OF THE STANDARD
- 1.1.2 CONFORMITY OF AN IMPLEMENTATION WITH THE STANDARD
- 1.2 STRUCTURE OF THE STANDARD
- 1.3 DESIGN GOALS AND SOURCES
- 1.4 LANGUAGE SUMMARY
- 1.5 METHOD OF DESCRIPTION AND SYNTAX NOTATION
- 1.6 CLASSIFICATION OF ERRORS

"A CONFORMING COMPILER MUST ..."

THESE POINTS ARE HIGHLIGHTED BECAUSE THE STUDENTS SHOULD BE MADE AWARE AGAIN THAT A COMPILER MUST CONFORM TO THE STANDARD TO BE VALIDATED. THEY ARE TO CODE TO THE STANDARD, NOT THE COMPILER. POINT OUT THAT ON THE THIRD BULLET, THEY ARE NOT REQUIRED TO REJECT PROGRAMS WITH ERRORS THAT THEY ARE NOT REQUIRED TO DETECT.

POINT OUT THE FIFTH BULLET. THE LRM DEFINES WHAT IS PERMITTED.

VG 703

DEFINITION OF A CONFORMING COMPILER

CONTRACTOR DESCRIPTION

U

- CORRECTLY TRANSLATE AND EXECUTE LEGAL Ada PROGRAMS
- REJECT PROGRAMS WHICH EXCEED THE IMPLEMENTATION'S CAPACITY
- REJECT PROGRAMS CONTAINING ERRORS WHICH THE IMPLEMENTATION IS REQUIRED TO DETECT
- SUPPLY ALL PREDEFINED PROGRAM UNITS
- CONTAIN NO UNPERMITTED VARIATIONS
- SPECIFY ALL PERMITTED VARIATIONS IN THE MANNER PRESCRIBED BY THE LRM (1.e., LISTS IN APPENDIX F)

"THESE ARE THE PROBLEM AREAS THE LDT TRIED TO KEEP IN MIND WHILE DESIGNING THE LANGUAGE."

NOTE THAT THESE GOALS ARE LISTED IN PRIORITY ORDER

MENTION THAT ONE OF THE LDT GOALS IN WRITING THE LRM (AND THE REASON FOR MUCH OF ITS FORMAT) WAS TO MINIMIZE FORWARD REFERENCES.

DESIGN GOALS

TO DEFINE A LANGUAGE WHICH SUPPORTS

PROGRAM RELIABILITY AND MAINTENANCE

PROGRAMMING AS A HUMAN ACTIVITY

EFFICIENCY

COMPILE TIME ERRORS - ERRORS WHICH MUST BE CAUGHT AT COMPILE TIME

EXECUTION ERRORS - ERRORS WHICH RAISE EXCEPTIONS

ERRONEOUS EXECUTION - FOR EXAMPLE, THE USE OF AN UNINITIALIZED OBJECT

SOME ORDER", ETC. ARE USED THROUGHOUT THE LRM. IT IS IMPORTANT TO KNOW WHAT IS MEANT BY THE REASON THIS IS HIGHLIGHTED IS BECAUSE "ERRONEOUS", "LEGAL", "ILLEGAL", "MUST", "IN THESE TERMS.

ERROR CATEGORIES

U

- COMPILE TIME ERRORS
- VIOLATIONS OF RULES THAT USE THE WORDS must, allowed, legal AND illegal
- EXECUTION ERRORS
- ERROR SITUATIONS THAT ARE ASSOCIATED WITH PREDEFINED EXCEPTIONS
- ERRONEOUS EXECUTION
- VIOLATIONS OF RULES THAT THE COMPILER IS NOT REQUIRED TO DETECT. THE EXECUTION OF ERRONEOUS PROGRAMS IS UNPREDICTABLE
- INCORRECT ORDER DEPENDENCES
- APPLY TO RULES WHICH STATE "IN SOME ORDER THAT IS NOT DEFINED BY THE LANGUAGE"
- A CONSTRUCT IS IN ERROR IF THE MEANING DEPENDS ON THE ORDER OF EVALUATION

THE IMPLEMENTATION IS ALLOWED (BUT NOT REQUIRED) TO DETECT ERRONEOUS EXECUTION AND INCORRECT ORDER DEPENDENCES NOTE:

ALLOW 5 MINUTES FOR THIS EXERCISE.

EVALUATED UPON RETURN FROM THE PROCEDURE CALL. IF X IS EVALUATED FIRST, A WILL HAVE THE IN THE EXAMPLE THE VALUE OF A DEPENDS ON THE ORDER IN WHICH THE PARAMETERS X AND Y ARE IF Y IS EVALUATED FIRST, A WILL HAVE THE VALUE 2. VALUE 4.

IF A = 2 BEFORE THE CALL, THERE IS NO ORDER DEPENDENCE.

EXAMPLE PROBLEM

D

WHY IS THE FOLLOWING AN INCORRECT ORDER DEPENDENCY?

declare -- Block

A: Integer := 0;

procedure Proc (X: in out Integer;

Y: out Integer) is

begin -- Proc

X := X + 2;

Y := 4;

end Proc;

begin -- Block

Proc (A, A); -- INCORRECT ORDER DEPENDENCY

end; -- Block

SPECIFICALLY, A PROGRAM WHICH IS SURE TO RAISE AN EXCEPTION, OR THAT IS ERRONEOUS, IS NOTE THAT ILLEGAL PROGRAMS ARE ONLY PROGRAMS WHICH CONTAIN COMPILE-TIME ERRORS. NOT ILLEGAL.

IMPORTANT DEFINITIONS

7

PROGRAM WHICH CONTAINS NO COMPILE-TIME ERRORS LEGAL

PROGRAM WHICH CONTAINS COMPILE-TIME ERRORS ILLEGAL

PROGRAM WHICH CONTAINS ERRORS THE COMPILER IS ERRONEOUS

NOT REQUIRED TO DETECT

- A DIRECTIVE, A LANGUAGE PRIMITIVE

MUST

ALLOWED - PERMISSION, A LANGUAGE PRIMITIVE

<u>.</u>

2-6

THIS CHAPTER IS NEXT BECAUSE THE RULES FOR LEXICAL ELEMENTS ARE BASIC AND REFERRED TO THROUGHOUT THE LRM. THIS IS AN EASY CHAPTER AND MAY BE SKIPPED IF YOU ARE BEHIND SCHEDULE.

ALLOW 10 MINUTES FOR THIS CHAPTER.

VG 703

6-1

Section 6

LRM - CHAPTER 2

LEXICAL ELEMENTS

THESE ARE THE TOPICS IN THIS CHAPTER.

POINT OUT PRAGMAS AS A POINT OF INTEREST.

NORMALLY YOU WOULDN'T THINK OF LOOKING IN THE LEXICAL ELEMENTS CHAPTER FOR INFORMATION ON PRAGMAS.

SECTION TOPICS

- 2.1 CHARACTER SET
- 2.2 LEXICAL ELEMENTS, SEPARATORS, AND DELIMITERS
- 2.3 IDENTIFIERS
- 2.4 NUMERIC LITERALS
- 2.4.1 DECIMAL LITERALS
- 2.4.2 BASED LITERALS
- 2.5 CHARACTER LITERALS
- 2.6 STRING LITERALS
- 2.7 COMMENTS
- 2.8 PRAGMAS
- 2.9 RESERVED WORDS
- 2.10 ALLOWABLE REPLACEMENTS OF CHARACTERS

ALLOW 5 MINUTES FOR THIS EXERCISE.

SEQUENCE OF CHARACTERS VALUES, THEN A PAIR OF ADJACENT QUOTATION CHARACTERS MUST BE SECTION 2.6/3 STATES "IF A QUOTATION CHARACTER VALUE IS TO BE REPRESENTED IN THE WRITTEN AT THE CORRESPONDING PLACE WITHIN THE STRING LITERAL." SO THE FIRST " STARTS THE STRING, THE NEXT TWO REPRESENT THE SINGLE QUOTE IN THE STRING, AND THE LAST " CLOSES THE STRING LITERAL. EXAMPLE PROBLEM

WHY IS *** A STRING OF LENGTH 17

CITE THE LRM PASSAGE WHICH SAYS THIS.

6-2

THE FIRST FEW ENABLE THE STUDENTS TO FIND SUPPORT FOR TELL STUDENTS, IF SHORT ON TIME, TO ATTEMPT 5 AND 6 FIRST. THEY ARE THE MORE THINGS THEY SHOULD ALREADY KNOW. OF THE PROBLEMS. INTERESTING

ANSWERS:

- NO, IN 2.4.1/2 THE SYNTAX DOES NOT ALLOW FOR A SIGN TO PRECEDE THE DIGIT. (WE WILL SEE LATER THAT IS A UNARY OPERATOR).
- OF CORRESPONDING YES, 2.3/3 STATES "IDENTIFIERS DIFFERING IN ONLY THE USE UPPER AND LOWER CASE LETTERS ARE CONSIDERED AS THE SAME. 5
- AN IDENTIFIER ARE SIGNIFICANT SECTION 2.3/3 STATES "ALL CHARACTERS OF INCLUDING ANY UNDERLINE CHARACTER..."
- YES, SECTION 2.4.1/3 STATES "AN UNDERLINE CHARACTER INSERTED BETWEEN ADJACENT DIGITS OF A DECIMAL LITERAL DOES NOT AFFECT THE VALUE OF THIS NUMERIC LITERAL.
- NO, IT MAY ISSUE A WARNING. SECTION 2.8/9 STATES "A FMAUMM THAT IS NOT RECOGNIZED BY THE LANGUAGE-DEFINED HAS NO EFFECT IF ITS IDENTIFIER IS NOT RECOGNIZED BY THE (CURRENT) IMPLEMENTATION." FURTHER MORE, SECTION 2.8/8 STATES "THE PRAGMAS (CURRENT) IMPLEMENTATION." AN DEFINED BY THE LANGUAGE ... MUST BE SUPPORTED BY EVERY IMPLEMENTATION." IMPLEMENTATION MUST RECOGNIZE LANGUAGE DEFINED PRAGMAS. ς.
- YES, SECTION 2.10/3 STATES "THE SHARP CHARACTER (#) OF A BASED LITERAL CAN Be replaced by colon (:)..."

EXERCISES

7

SUPPORT YOUR ANSWERS WITH RELEVANT LRM SECTION AND PARAGRAPH NUMBERS.

- . IS -3 AN INTEGER LITERAL?
- ARE Integer, integer, AND INTEGER ALL CONSIDERED TO BE THE SAME IDENTIFIER? 5
- ARE prime_number AND PRIMENUMBER CONSIDERED TO BE THE SAME IDENTIFIER?
- 4. DO 1_000 AND 1000 REPRESENT THE SAME NUMERIC VALUE?
- IS AN IMPLEMENTATION ALLOWED TO REJECT PROGRAMS WHICH CONTAIN UNRECOGNIZABLE PRAGMAS?
- IS AN IMPLEMENTATION ALLOWED TO ACCEPT A BASED NUMBER REPRESENTED AS 2:1011: 2 •

Ī

-

. .

ALLOW 90 THIS CHAPTER IS VERY IMPORTANT. UNDER NO CIRCUMSTANCES IS IT TO BE SKIPPED. MINUTES FOR THIS CHAPTER. THIS CHAPTER CONTAINS THE VISIBILITY RULES AND IS FUNDAMENTAL IN UNDERSTANDING THE REST OF THE LRM. Section 7

VISIBILITY RULES

LRM - CHAPTER 8

<u>.</u>

THESE ARE THE SECTION TOPICS IN THIS CHAPTER. 8.3 IS VERY IMPORTANT.

VG 703

7-11

SECTION TOPICS

- 8.1 DECLARATIVE REGION
- 8.2 SCOPE OF DECLARATIONS
- 8.3 VISIBILITY
- 8.4 USE CLAUSES
- 8.5 RENAMING DECLARATIONS
- 8.6 THE PACKAGE STANDARD
- 8.7 THE CONTEXT OF OVERLOAD RESOLUTION

Ē

<u>)</u>

ĩ

THESE ENTITIES ARE SPECIFIED IN SECTION 8.2/3-8.

7-21

ENTITIES WITH AN EXTENDED SCOPE

- DECLARATION THAT OCCURS IN THE VISIBLE PART OF A PACKAGE
- ENTRY DECLARATIONS
- COMPONENT DECLARATIONS
- DISCRIMINANT SPECIFICATIONS
- PARAMETER SPECIFICATIONS
- GENERIC PARAMETER DECLARATIONS

ī

.

Ď

THE DEFINITION OF A HOMOGRAPH IS IN SECTION 8.3/15. HAVE THE STUDENTS OPEN TO THAT PARAGRAPH AND READ IT. THEY WILL PROBABLY HAVE QUESTIONS, SUCH AS "WHAT DOES THIS NOW EXPLAIN THE VIEWGRAPH.

NEXT SLIDE DEFINES WHICH ENTITIES ARE OVERLOADABLE.

POINT OUT THAT HOMOGRAPHS MAY NOT BE DECLARED IN THE SAME DECLARATIVE PART.

SECTION 6.6 DEFINES PARAMETER AND TYPE PROFILE.

HOMOGRAPHS

DECLARATIONS WITH THE SAME IDENTIFIER AND WHERE AT MOST ONE IS OVERLOADABLE

DECLARATIONS WITH THE SAME IDENTIFIER, OPERATOR SYMBOL, OR CHARACTER LITERAL, AS WELL AS THE SAME PARAMETER AND RESULT PROFILE WHERE BOTH ARE OVERLOADABLE

THESE ARE THE ENTITIES WHOSE NAMES CAN BE OVERLOADED. THEY ARE SPECIFIED IN SECTION 8.7/1.

HAVE STUDENTS READ THIS PARAGRAPH. IT SHOULD BE ADEQUATELY CLEAR TO THE STUDENTS.

VG 703

7-41

ENTITIES FOR WHICH OVERLOADING IS DEFINED

SUBPROGRAMS

ENUMERATION LITERALS

OPERATORS

SINGLE ENTRIES

BASIC OPERATIONS

ASSIGNMENT

MEMBERSHIP TESTS

ALLOCATORS

THE LITERAL NULL

AGGREGATES

STRING LITERALS

ALLOW 5 MINUTES FOR THIS EXERCISE.

ANSMER:

SECTION 8.4/1-2 STATES THAT THE NAME FOLLOWING THE WORD USE MUST DENOTE A PACKAGE.

REFER STUDENTS TO HANDOUT FOR COMPILER'S ERROR REPORT.

EXAMPLE PROBLEM

WHY IS THE FOLLOWING ILLEGAL?

procedure Proc is

type T is 1 .. 10;

type B is new Boolean;

begin -- Proc

null;

end Proc;

with Proc; use Proc; -- illegal

procedure P is

begin -- P

null;

end P;

ALLOW A HALF HOUR FOR THESE EXERCISES.

ANSWERS

5

- SECTION 8.1/2 DEFINES A DECLARATIVE REGION TO BE "A SUBPROGRAM DECLARATION, A PACKAGE DECLARATION, A TASK DECLARATION, OR A GENERIC DECLARATION, TOGETHER WITH THE CORRESPONDING BODY, IF ANY." THE DECLARATIVE REGION FOR Obj IS THE PACKAGE P TOGETHER WITH THE BODY OF PACKAGE P.
- BECAUSE THEY BOTH HAVE THE SAME IDENTIFIER AND OVERLOADING IS ALLOWED FOR A IS ALLOWED FOR DECLARATION 1). BETWEEN 2 AND 3, 3 IS A 2 FOR THE SAME REASON (OVERLOADING IS ALLOWED FOR DECLARATION BETWEEN 2 AND 1, 2 IS A HOMOGRAPH OF 1 HAVE THE SAME IDENTIFIER, BOTH ARE OVERLOADABLE. THEY WOULD ONLY BE HOMOGRAPHS IF THEY BOTH HAD THE SAME RESULT TYPE PROFILE. 3 HAS NO RESULT HOMOGRAPH OF THE OTHER. ALTHOUGH THEY TYPE PROFILE AND 4'S RESULT TYPE PROFILE IS BOOLEAN. NOTE THAT IF DECLARATION 2 WERE REMOVED, THERE WOULD BE NO HOMOGRAPHS IN THE TEXT SECTION 8.3/15 EXPLAINS HOMOGRAPH. BETWEEN 3 AND 4, NEITHER IS A MOST ONE (IT HOMOGRAPH OF
- SECTION 8.5/2 STATES THAT THE TYPE OF AN OBJECT RENAMING DECLARATION MUST BE A TYPE MARK. Integer range 1 .. 10 IS A SUBTYPE_INDICATION (SECTION 3.3.2) NOT A TYPE_MARK.
- YES. SECTION 8.5/3 STATES THAT WHERE THE RENAMING DECLARATION IS VISIBLE, THE IDENTIFIER DENOTES THE RENAMED IDENTIFER. THE CONSTRAINTS ON THE RENAMED IDENTIFIER HAVE NOT CHANGED.

1

EXERCISES

```
••• some sequence of declarations package body P is
                                       package P is
Obj: Integer range 5 .. 10;
end P;
end Pack;
DEFINE THE DECLARATIVE REGION FOR Obj
                                                                                                             package body Pack is
                         package Pack is
                                                                                                                                                                         end P;
                                                                                                                                                                                            end Pack;
```

function F return Boolean; IN THE FOLLOWING, WHICH F'S ARE HOMOGRAPHS? package Pack is function F return Character; package P is type F is (a, b, c); package Q is procedure F; end Q; end Pack; 2

Y : Integer range 1 .. 10; X : Integer range 1 .. 10 WHY IS THE FOLLOWING ILLEGAL?

.. 10 renames Y;

IF THE RENAMING WERE

IS X CONSTRAINED TO HAVE ONLY THE VALUES 1 THROUGH 10? X : Integer renames Y;

NO. GREEN IS AN OVERLOADED ENTITY. REFER TO THE DEFINITION OF HOMOGRAPHS. HOMOGRAPH CAN ONLY OCCUR WHEN AT MOST ONE OF THE ENTITIES IS OVERLOADABLE. ۸.

VG 703

EXERCISES

IS THE SECOND COMMENT CORRECT? ۸. procedure R is
 package Traffic is
 type Color is (Red, Amber, Green);

end Traffic;

package water_Colors is
 type Color_is (White, Red, Yellow, Green, Blue, Brown, Black);

end Water_Colors;

-- Color, Red, Amber and Green are directly visible -- two homographs of Green are directly visible -- but Color is no longer directly visible use Traffic; use Water_Colors; •

THESE ARE THE IMPORTANT LANGUAGE TERMS DEFINED IN THIS CHAPTER.

NOTICE THAT EXTENDED SCOPE IS NOT A TERM DEFINED BY THE LRM. IT IS IMPLICITLY DEFINED WHEN SECTION 8.2/2 OF THE LRM SAYS "FURTHERMORE, ... THE SCOPE OF THE DECLARATION EXTENDS BEYOND THE IMMEDIATE SCOPE."

IMPORTANT DEFINITIONS

U

A DECLARATION THAT OCCURS IMMEDIATELY WITHIN A DECLARATIVE REGION	DECLARATIONS THAT OCCUR IN AN OUTER ENCLOSING DECLARATIVE REGION	FROM THE BEGINNING OF THE DECLARATION TO THE END OF THE DECLARATIVE REGION	ABLE TO BE ACCESSED DIRECTLY BY ITS SIMPLE NAME	AN ENTITY IS HIDDEN WITHIN AN INNER REGION WHEN THE INNER REGION CONTAINS A HOMOGRAPH OF THE ENTITY
ı	ı	ı	•	ı
LOCAL	GLOBAL	IMMEDIATE SCOPE	VISIBLE	HIDDEN

ļ

SEMANTICS, NOT ALL OF WHICH WILL BE COVERED. FOR FURTHER INFORMATION ON THESE SUBJECTS, THIS CHAPTER IS IMPORTANT. ALLOW 90 MINUTES FOR IT. THIS CHAPTER HAS A LOT OF SEE THE IMPLEMENTERS' GUIDE.

Section 8

LRM - CHAPTER 3

DECLARATIONS AND TYPES

THESE ARE THE TOPICS COVERED IN THIS CHAPTER.

VG 703

SECTION TOPICS

I

S	
ä	
=	
0	
\blacksquare	
\vdash	
R	
Œ	
₹	
ī	
$\boldsymbol{\pi}$	
_	
DECLA	
_	
_	
•	
-	

- OBJECTS AND NAMED NUMBERS 3.2.1 OBJECT DECLARATIONS 3.2.2 NUMBER DECLARATIONS 3.2
- TYPES 3.3.1 3.3.2 3.3.3 3.3
- AND SUBTYPES
 TYPE DECLARATIONS
 SUBTYPE DECLARATIONS
- CLASSIFICATION OF OPERATIONS
- DERIVED TYPES 3.4
- SCALAR TYPES 3.5
- TYPES ARRAY 3.6
- INDEX CONSTRAINTS AND DISCRETE RANGES OPERATIONS OF ARRAY TYPES THE TYPE STRING 3.6.1 3.6.2 3.6.3
- **TYPES** RECORD 3.7
- 3.7.1
- DISCRIMINANTS
 DISCRIMINANT CONSTRAINTS
 VARIANT PARTS 3.7.2
- OPERATIONS OF RECORD TYPES
- **TYPES** ACCESS 3.8
- INCOMPLETE TYPE DECLARATIONS OPERATIONS OF ACCESS TYPES 3.8.1
- DECLARATIVE PARTS 3.9

THESE ARE THE SUBSECTIONS OF SECTION 3.5.

8-21

SUBSECTIONS

3.5 SCALAR TYPES

3.5.1 ENUMERATION TYPES

3.5.2 CHARACTER TYPES

3.5.3 BOOLEAN TYPES

3.5.4 INTEGER TYPES

3.5.5 OPERATIONS OF DISCRETE TYPES

3.5.6 REAL TYPES

3.5.7 FLOATING POINT TYPES

3.5.8 OPERATIONS OF FLOATING POINT TYPES

3.5.9 FIXED POINT TYPES

3.5.10 OPERATIONS OF FIXED POINT TYPES

8-2

Ē

Ļ


REALITY WHEN A DERIVED TYPE IS DEFINED, THE TYPE NAME ACTUALLY DENOTES A DERIVED STRESS THAT THE DERIVED TYPE IS ACTUALLY AN ANONYMOUS BASE TYPE AND THAT IN SUBTYPE

VG 703

TYPE DEFINITIONS

- THE BASE TYPE FROM WHICH A TYPE IS DERIVED PARENT TYPE
- THE BASE TYPE OF THE DERIVED TYPE DERIVED TYPE
- DERIVED SUBTYPE A SUBTYPE OF THE DERIVED TYPE
- THE SUBTYPE INDICATION THAT OCCURS AFTER THE WORD NEW PARENT SUBTYPE

EXAMPLE



type Int is new Integer range 10 .. 50;

VG 703

THE POINT OF THIS SLIDE IS TO EXPLAIN THAT NAME AND DENOTE ARE USED VERY DELIBERATELY IN WHEN NAME APPEARS IN THE LRM, IT IS REFERRING TO THE SYNTATIC CATEGORY. THE LRM.

DENOTE IS USED TO MEAN "NAME," "LABEL," OR "IDENTIFY" SOME ENTITY. THE WORDING CHOICE IS USED SPECIFICALLY TO AVOID CONFUSION.

- THE IDENTIFIERS P, T, AND X ARE NAMES WHICH DENOTE ENTITIES.
- THE NAME THAT APPEARS ON PAPER IN THE PROGRAM, "DENOTE" ENTITIES THAT ARE INTERNAL TO THE MACHINE.
- THE ARROW SHOWS THE "DENOTE" RELATIONSHIP.

VG 703


D

NAME

SYNTATIC CATEGORY

DENOTE

"THE NAME IS SAID TO DENOTE THE ASSOCIATED ENTITY"



8-4

1


X DENOTES A MEMORY LOCATION WHICH CONTAINS A VALUE WHICH DESIGNATES ANOTHER MEMORY LOCATION WHICH CONTAINS THE INTEGER VALUE 3.

8-51

DESIGNATED ENTITY

- DESIGNATE
- POINTS TO
- DESIGNATED TYPE
- BASE TYPE OF THE DESIGNATED OBJECT
- DESIGNATED SUBTYPE SUBTYPE OF
- SUBTYPE OF THE DESIGNATED OBJECT

MACHINE INTERNALS



.

ALLOW 5 MINUTES FOR THIS EXERCISE.

ANSWER:

'VALUE BELONGS TO THE SUBTYPE OF THE OBJECT; ... THE EXCEPTION CONSTRAINT_ERROR IS COMPILE TIME, IT IS ONLY ALLOWED TO ISSUE A WARNING AND MUST COMPILE THE PROGRAM. SECTION 3.2.1/16 STAJES "THE INITIALIZATION OF AN OBJECT CHECKS THAT THE INITIAL RAISED IF THIS CHECK FAILS." SO EVEN THOUGH THE COMPILER COULD CHECK THIS AT

REFER STUDENTS TO HANDOUT FOR COMPILER'S ERROR REPORT.

EXAMPLE PROBLEM

7

WHY IS THE FOLLOWING

subtype Int is Integer range 1 .. 10;

X : Int := 30; -- error

A RUNTIME ERROR?

VG 703

L

ALLOW 45 MINUTES FOR THESE EXERCISES. ANSWERS

- YES, SECTION 3.2/8 STATES "A NUMBER DECLARATION IS A SPECIAL FORM OF OBJECT DECLARATION..."
- THEREFORE, THE SECTION 3.2/10 STATES "A MULTIPLE OBJECT DECLARATION IS EQUIVALENT TO A OF THE CORRESPONDING NUMBER OF SINGLE OBJECT DECLARATIONS." THEREFORE, DECLARATION IS EQUIVALENT TO

X: array (1 .. 20) of Boolean; Y: array (1 .. 20) of Boolean; Z: array (1 .. 20) of Boolean;

ABOVE IS A CONSTRAINED ARRAY DEFINITION, SECTION 3.6/6 STATES "A CONSTRAINED ARRAY DEFINITION DEFINES BOTH AN ARRAY TYPE AND A SUBTYPE OF THIS TYPE." EACH OF THE ABOVE IS A CONSTRAINED ARRAY DEFINITICS OF THE SO EACH DEFINES A NEW TYPE. CONSTRAINT ERROR BECAUSE SECTION 3.4/1 STATES THAT "A DERIVED TYPE DEFINITION DEFINES A NEW (BASE) TYPE WHOSE CHARACTERISTICS ARE DERIVED FROM THOSE OF A PARENT TYPE; THE NEW TYPE IS CALLED A DERIVED TYPE. A DERIVED TYPE DEFINITION FURTHER DEFINES A DERIVED SUBTYPE, WHICH IS A SUBTYPE OF THE DERIVED TYPE." ٠

THEREFORE IT IS NOT A THEREFORE, MY INT IS A SUBTYPE OF SOME ANONYMOUS BASE TYPE WHICH HAS THE SAME SET OF VALUES AS INTEGER. 101 REPRESENTS A VALUE OF THAT TYPE. THEREFORE IT IS NOT

- SECTION 3.4/15 STATES "IF A DERIVED OR PRIVATE TYPE IS DECLARED IMMEDIATELY WITHIN THE VISIBLE PART, THIS TYPE MUST NOT BE USED AS THE PARENT TYPE OF A DERIVED TYPE DEFINITION."
- F(3) IS NOT STATIC (SECTION 4.9 DEFINES STATIC), SECTION 3.5.4/3 STATES "IF A RANGE CONSTRAINT IS USED AS AN INTEGER TYPE DEFINITION, EACH BOUND OF THE RANGE MUST BE A STATIC EXPRESSION ..." Š
- REFER STUDENTS TO HANDOUT FOR COMPILER'S ERROR REPORT.

EXERCISES

7

IS A NAMED NUMBER CONSIDERED TO BE AN OBJECT?

. WHY ARE

X, Y, Z : array (1 .. 20) of Boolean;

CONSIDERED TO BE OF THREE DIFFERENT TYPES

S. WHEN YOU HAVE

type My_Int is new Integer range l .. 100; X : My_Int := 101; DOES THIS RAISE CONSTRAINT_ERROR OR IS IT A TYPE MISMATCH CAUGHT AT COMPILE TIME?

. WHY IS THE FOLLOWING ILLEGAL?

type Color is (Red, Blue, Yellow, Green, Orange, Purple);
type Room Color is new Color range Red .. Orange;
type Prime Color is new Room Color
range Red .. Yellow; package Pack is end Pack;

. WHY IS THE FOLLOWING ILLEGAL?

function F (I : Integer) return Integer is
 return I;
end F;
type Int is range 1 .. F(3); -- illegal

ANSWERS (CONTINUED):

- YES BECAUSE, THE BOUNDS OF A SUBTYPE INDICATION DO NOT NEED TO BE STATIC. NO REFERENCE REQUIRES IT TO BE, THEREFORE IT MAY BE NON_Static. 9
- VALUES VALUES SECTION 3.5.9/15 STATES "MULTIPLICATION AND DIVISION OF FIXED POINT DELIVER RESULTS OF AN ANONYMOUS PREDEFINED FIXED POINT TYPE ... THE OF THIS TYPE MUST BE CONVERTED EXPLICITLY TO SOME NUMERIC TYPE."
- SECTION 3.6/2 STATES THAT AN ARRAY TYPE DEFINITION MUST BE CONSTRAINED OR UNCONSTRAINED. SYNTACTICALLY, UNCONSTRAINED INDICES MAY NOT BE MIXED WITH CONSTRAINED INDICES IN THE SAME TYPE DECLARATION. φ.
- SECTION 3.7.1/9 STATES "DIRECT ASSIGNMENT TO A DISCRIMINANT OF AN OBJECT IS NOT ALLOWED..." ٥.
- REFER STUDENTS TO HANDOUT FOR COMPILER'S ERROR REPORT.

EXERCISES (CONTINUED)

I

```
6. WHY DOES CHANGING THE DECLARATION TO subtype Int is Integer range 1 .. F(3);
```

MAKE THE DECLARATION LEGAL?

7. WHY IS THE FOLLOWING A TYPE MISMATCH?

```
declare
    type Fixed is delta 0.0 range 0.0 .. 100.0;
    X,Y,Z : Fixed;
    begin
    X := 3.0;
    Y := 7.0;
    Z := X * Y;
    end;
end;
```

8. WHY IS THE FOLLOWING ILLEGAL?

type Arr is array (Integer range <>>, Boolean) of Character;

9. WHY IS THE FOLLOWING ILLEGAL?

```
declare
    type Rec (D : Integer := 6) is record
    Compl : Boolean;
    Comp2 : Character;
    Comp3 : Integer;
    end record;
    Rc : Rec;
    begin
    Rc.D := 6;
    end;
```

THROUGHOUT THE LRM. THESE DEFINITIONS ARE BRIEF INTUITIVE DEFINITIONS, NOT FORMAL ONES. THESE ARE THE IMPORTANT LANGUAGE TERMS DEFINED IN THIS CHAPTER. THEY ARE USED

END OF DAY 1 - ANSWER QUESTIONS UNTIL CLASS IS DONE, IF TIME ALLOWS.

VG 703

IMPORTANT DEFINITIONS

X

•	BASE_TYPE	1	. UNDERLYING ANONYMOUS "TYPE" OF ANY TYPE.
•	UNIVERSAL_REAL	ı	ANONYMOUS PREDEFINED REAL TYPE
•	UNIVERSAL_INTEGER	ı	ANONYMOUS PREDEFINED INTEGER TYPE
•	UNIVERSAL_FIXED	1	ANONYMOUS PREDEFINED FIXED TYPE
•	SCOPE	ı	REGION OF TEXT IN WHICH AN ENTITY EXISTS
•	ELABORATION	ı	THE EXECUTION OF A DECLARATION
•	ELABORATED		THE STATE OF A DECLARATION AFTER ELABORATION
•	SATISFY	ı	NOT VIOLATE, A LANGUAGE PRIMITIVE
•	BELONGS TO	ı	IS A POSSIBLE VALUE OF THE SUBTYPE
•	COMPATIBLE	1	SATISFIES SOME CONDITION

THIS CHAPTER CONTAINS THE RULES FOR NAMES AND EXPRESSIONS. IT IS A FAIRLY IMPORTANT CHAPTER, BUT IT IS NOT VERY COMPLEX. ALLOW 30 MINUTES FOR THIS SECTION. THE MAIN POINT TO MAKE IN THIS CHAPTER IS THAT MANY RULES EXIST TO MAKE THE LANGUAGE CONSISTENT.

Section 9

LRM - CHAPTER 4

NAMES AND EXPRESSIONS

THESE ARE THE TOPIC SECTIONS IN THIS CHAPTER.

9-11

SECTION TOPICS

1 NAMES
4.1.1 INDEXED COMPONENTS
4.1.2 SLICES
4.1.3 SELECTED COMPONENTS
4.1.4 ATTRIBUTES

4.2 LITERALS

4.3 AGGREGATES 4.3.1 RECORD AGGREGATES 4.3.2 ARRAY AGGREGATES

.4 EXPRESSIONS

4.5 OPERATORS AND EXPRESSION EVALUATION

4.6 TYPE CONVERSION

4.7 QUALIFIED EXPRESSIONS

4.8 ALLOCATORS

4.9 STATIC EXPRESSIONS AND STATIC SUBTYPES

4.10 UNIVERSAL EXPRESSIONS

THESE ARE THE TOPICS IN SECTION 4.5.

9-21

SUBSECTIONS

- 4.5 OPERATORS AND EXPRESSION EVALUATION
- 4.5.1 LOGICAL OPERATORS AND SHORT-CIRCUIT CONTROL FORMS
- 4.5.2 RELATIONAL OPERATORS AND MEMBERSHIP TESTS
- 4.5.3 BINARY ADDING OPERATORS
- 4.5.4 UNARY ADDING OPERATORS
- 4.5.5 MULTIPLYING OPERATORS
- 4.5.6 HIGHEST PRECEDENCE OPERATORS
- 4.5.7 ACCURACY OF OPERATIONS WITH REAL OPERANDS

NOTE, THIS WAS COVERED WHEN WE TALKED ABOUT ATTRIBUTES. ITS IMPORTANT THAT THEY UNDERSTAND IT.

VG 703

IS APPROPRIATE FOR

7

•

- DEFINES "A PREFIX THAT IS APPROPRIATE FOR A TYPE" TO BE
- WHEN THE TYPE OF THE PREFIX IS THE TYPE CONSIDERED
- WHEN THE TYPE OF THE PREFIX IS AN ACCESS TYPE WHOSE DESIGNATED TYPE IS THE TYPE CONSIDERED

EXAMPLE:

```
-- not appropriate for component selection
                                                                                                                                                                     -- appropriate for component selection
                                                                                                                                                 -- appropriate for component selection
               type Ar is array (1 .. 3) of Integer;
type Ac Ar is access Ar;
Acc : Ac Ar := new Ar'(3,5,7);
Arr : Ar := (2,4,6);
procedure Example is
                                                                                                                                              Acc (1);
Arr (2);
X := X (3);
                                                                                                                                                                                                                     end Example;
                                                                                                                                begin
```

THROUGHOUT THE LRM, THE RULES STATE THAT AN ENTITY MUST BE STATIC. SECTION 4.9 EXPLAINS WHAT IT MEANS TO BE (AND WHAT ENTITIES ARE) STATIC.

DEFINITION OF STATIC

- ESSENTIALLY "KNOWN AT COMPILE TIME"
- STATIC ENTITIES ARE
- ENUMERATION LITERALS (INCLUDING CHARACTER LITERALS)
- NUMERIC LITERALS
- NAMED NUMBERS
- CONSTANTS WITH A STATIC SUBTYPE AND A STATIC VALUE
- A FUNCTION CALL OF A PREDEFINED OPERATOR WITH STATIC PARAMETERS
- A LANGUAGE DEFINED ATTRIBUTE OF A STATIC SUBTYPE, WITH STATIC PARAMETERS (IF ANY)
- A QUALIFIED EXPRESSION OF A STATIC SUBTYPE WITH A STATIC EXPRESSION
- A STATIC EXPRESSION ENCLOSED IN PARENTHESES

ALLOW 5 MINUTES FOR THIS EXERCISE.

ANSWER:

IN SECTION 4.4/2, THE SYNTAX FOR AN EXPRESSION SAYS THAT THE EXPRESSION EVALUATES HAVE STUDENTS TURN TO THIS SECTION. AS FOLLOWS.

A EVALUATES TO A NAME, TO A PRIMARY, TO A FACTOR, TO A TERM, TO A SIMPLE B DOES ALSO. EXPRESSION, TO A RELATION.

RELATION and RELATION EVALUATE TO AN EXPRESSION.

20 THERE IS NO RULE FOR EXPRESSION OF RELATION (WHICH IS WHAT C EVALUATES TO). THE EXPRESSION IS SYNTACTICALLY INCORRECT.

(EXPRESSION) EVALUATES TO A PRIMARY AND THERE IS A RULE FOR PRIMARY OF PRIMARY. THE CORRECT EXPRESSION WOULD BE (A and B) or C OR A and (B or C) BECAUSE

EXAMPLE PROBLEM

12

WHY IS THE FOLLOWING EXPRESSION A SYNTAX ERROR?

if A and B or C then null; end if;

ALLOW 15 MINUTES FOR THESE EXERCISES.

ANSWERS:

SECTION 4.1.3/18 STATES "A NAME DECLARED BY A RENAMING DECLARATION IS NOT ALLOWED AS THE PREFIX" OF AN EXPANDED NAME.

2

- SECTION 8.7/4 DEFINES A DECLARATION TO BE A COMPLETE CONTEXT. SECTION 3.2.1/1 SAYS THAT THE TYPE OF THE EXPRESSION IN AN OBJECT SECTION 4.3/7 STATES "THE TYPE OF AN AGGREGATE MUST BE DETERMINABLE SOLELY INFORMATION IN A RULE THAT REQUIRES AN EXPRESSION TO HAVE THE SAME TYPE AS DECLARATION MUST BE THAT OF THE OBJECT. SECTION 8.7/8 SAYS YOU CAN USE A NAME. THEREFORE, THE COMPILER CAN DETECT THE TYPE OF THE AGGREGATES. FROM THE CONTEXT ..."
- SECTION 4.3/4 STATES "AGGREGATES CONTAINING A SINGLE COMPONENT ASSOCIATION MUST ALWAYS BE GIVEN IN NAMED NOTATION."

EXERCISES

WHY IS THE FOLLOWING EXPANDED NAME ILLEGAL?

package P is
type T is 1 .. 10;
package N P renames P;
X : N P.T;
end P;

2. WHY ARE THE FOLLOWING AGGREGATES NOT AMBIGUOUS?

type Rec is record
 Compl : Boolean;
 Comp2 : Boolean;
end record;
type ARR is array (1 .. 2) of Boolean;
R : Rec := (True, False);
A : Arr := (True, False);

3. WHY IS THE FOLLOWING ILLEGAL?

type Rec is record
 Comp : Character;
end record;
R : Rec := ('a');
-- illegal

9-6

ALLOW 30 MINUTES FOR THIS SECTION. IF TIME IS SHORT THIS SECTION CAN BE CONDENSED TO ONLY COVER THE TOPIC OF SECTION 7.4.4, LIMITED TYPES.

10-1

Section 10

LRM - CHAPTER 7

PACKAGES

POINT OUT THAT SECTION 7.5 AND 7.6 ARE NOT CONSIDERED TO BE PART OF THE STANDARD.

10-11

SECTION TOPICS

X

- 7.1 PACKAGE STRUCTURE
- 7.2 PACKAGE SPECIFICATIONS AND DECLARATIONS
- 7.3 PACKAGE BODIES
- 7.4 PRIVATE TYPE AND DEFERRED CONSTANT DECLARATIONS
- 7.4.1 PRIVATE TYPES
- 7.4.2 OPERATIONS OF A PRIVATE TYPE
- 7.4.3 DEFERRED CONSTANTS
- 7.4.4 LIMITED TYPES
- 7.5 EXAMPLE OF A TABLE MANAGEMENT PACKAGE
- 7.6 EXAMPLE OF A TEXT HANDLING PACKAGE

ALLOW 10 MINUTES FOR THIS EXERCISE.

ANSWER:

ALLOWED IF THIS TYPE IS PRIVATE AND THE SUBPROGRAM DECLARATION OCCURS WITHIN THE SECTION 7.4.4/4 STATES "FOR A FORMAL PARAMETER WHOSE TYPE IS LIMITED AND WHOSE DECLARATION OCCURS IN AN EXPLICIT SUBPROGRAM DECLARATION THE MODE out IS ONLY VISIBLE PART OF THE PACKAGE THAT DECLARES THE PRIVATE TYPE."

REFER STUDENTS TO HANDOUT FOR COMPILER'S ERROR REPORT.

EXAMPLE PROBLEM

WHY IS THE FOLLOWING PROCEDURE DECLARATION ILLEGAL?

package Pack is

type Lp is limited private;
X : Lp;

private

type Lp is 1 .. 10;

end Pack;

with Pack;

procedure Proc 1s

-- illegal Procedure P (L : out Pack.Lp) is

begin -- P

nu11;

end P;

begin -- Proc

P (Pack.X);

end Proc;

ALLOW 20 MINUTES FOR THESE EXERCISES.

ANSWERS:

- SECTION 7.4/4 STATES "THE TYPE MARK OF A DEFERRED CONSTANT DECLARATION MUST DENOTE A PRIVATE TYPE OR A SUBTYPE OF A PRIVATE TYPE ..."
- PARAMETER DECLARATION FOR A GENERIC FORMAL TYPE IN A GENERIC FORMAL PART." SECTION 7.4/3 STATES "A PRIVATE TYPE DECLARATION IS ONLY ALLOWED AS A DECLARATIVE ITEM OF THE VISIBLE PART OF A PACKAGE OR AS THE GENERIC

2

EXERCISES

WHY IS THE FOLLOWING DEFERRED CONSTANT ILLEGAL?

package P is Anon : Constant Integer; private

-- illegal

Anon : Constant Integer := 3; end P;

WHY ARE THE PRIVATE TYPE DEFINITIONS ILLEGAL? 5

package P is private

type Pv is private; end P;

-- illegal

procedure Pr is type Pv is private; begin

-- illegal

null; end Pr;

VISIBLE PART OF A PACKAGE, THEN A CORRESPONDING DECLARATION OF A TYPE WITH THE SAME IDENTIFIER MUST APPEAR AS A DECLARATIVE ITEM OF THE PRIVATE PART SECTION 7.4.1/1 STATES "IF A PRIVATE TYPE DECLARATION IS GIVEN IN THE OF THE PACKAGE.

w.

SECTION 7.4.1/4 FORBIDS SUCH USE OF A PRIVATE TYPE BEFORE ITS FULL DECLARATION.

EXERCISES (CONTINUED)

I

3. WHY IS THE FOLLOWING ILLEGAL?

type Pv is private; type Lp is limited private; private type Lp is new character; end Pack;

package body Pack is type Pv is new Integer; end Pack;

WHY IS THE FOLLOWING ILLEGAL?

type Pv (A, B, C : Integer) is private; type Apv is access Pv; Obj : Apv := new Pv (3,4,5); -- illegal

10-4


THESE ARE IMPORTANT DEFINITIONS, BUT INTUITIVELY OBVIOUS. THE POINT TO NOTE IS THAT THIS CHAPTER DEALS WITH THESE TOPICS.


IMPORTANT DEFINITIONS

7

VISIBLE PART - PART ACCESSIBLE OUTSIDE THE PACKAGE

PRIVATE PART - PART INACCESSIBLE OUTSIDE THE PACKAGE





MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

SHOULD TIME BE SHORT, CONCENTRATE ON CONFORMANCE RULES, TYPE PROFILE, AND PARAMETER PASSING. ALLOW 30 MINUTES FOR THIS CHAPTER.

TAKE A 15 MINUTE BREAK AFTER THIS.

VG 703

177

Section 11

Contraction of the Contraction o

LRM - CHAPTER 6

SUBPROGRAMS

THESE ARE THE TOPICS IN THIS CHAPTER. STRESS 6.3.1, 6.6, and 6.2.

VG 703

11-11

SECTION TOPICS

Ā

- SUBPROGRAM DECLARATIONS 6.1
- FORMAL PARAMETER MODES 6.2
- SUBPROGRAM BODIES 6.3
- INLINE EXPANSION OF SUBPROGRAMS CONFORMANCE RULES 6.3.1 6.3.2
- 6.4
- SUBPROGRAM CALLS
 6.4.1 PARAMETER ASSOCIATIONS
 6.4.2 DEFAULT PARAMETERS
- FUNCTION SUBPROGRAMS 6.5
- PARAMETER AND RESULT TYPE PROFILE OVERLOADING OF SUBPROGRAMS 9.9
- OVERLOADING OF OPERATORS 6.7

THROUGHOUT THE LRM, IT SAYS THAT THINGS MUST CONFORM. THIS IS THE ONLY PLACE IN THE LRM THIS IS A QUICK SUMMARY OF THE CONFORMANCE RULES. IT IS STRESSED BECAUSE SCATTERED THAT STATES WHAT THAT MEANS.

CONFORMANCE RULES

DEFINITION

CONFORMING ENTITIES ARE ENTITIES WHICH ARE FORMED BY THE SAME SEQUENCE OF LEXICAL ELEMENTS.

VARIATIONS

- A NUMERIC LITERAL MAY BE REPLACED BY A DIFFERENT NUMERIC LITERAL WITH THE SAME VALUE AND STILL CONFORM.
- SIMPLE NAMES MAY BE REPLACED BY AN EXPANDED NAME OF THE SIMPLE NAME IF BOTH ARE DEFINED IN THE SAME DECLARATION AND STILL CONFORM.
- A STRING LITERAL GIVEN AS AN OPERATOR SYMBOL CAN BE REPLACED BY ANOTHER REPRESENTATION OF THE SAME OPERATOR AND STILL CONFORM.

VG 703

11-2

ALLOW 5 MINUTES FOR THIS EXERCISE.

ANSWERS:

MODE in out OR out MUST BE EITHER THE NAME OF A VARIABLE OR OF THE FORM OF A TYPE SECTION 6.4.1 STATES "AN ACTUAL PARAMETER ASSOCIATED WITH A FORMAL PARAMETER OF CONVERSION WHOSE ARGUMENT IS THE NAME OF A VARIABLE."

(A (I)) IS NEITHER OF THESE. IT EVALUATES TO AN EXPRESSION WHICH IS ILLEGAL FOR out PARAMETERS (SEE SECTION 4.4/2).

REFER STUDENTS TO HANDOUT FOR COMPILER'S ERROR REPORT.

VG 703

[1-31]

EXAMPLE PROBLEM

图图

Ü

WHY IS THE FOLLOWING ILLEGAL?

declare

type Arr is array (1 .. 10) of Integer;

procedure Proc (X: out Integer) is

begin

X := Integer'Last;

end Proc;

A : Arr;

begin

for I in 1 .. 10 loop

Proc ((A(I)));

-- illegal

end loop;

end;

ALLOW 20 MINUTES FOR THESE EXERCISES.

ANSWERS:

- VARIABLE, THEN THE EXECUTION OF THE CALL IS ERRONEOUS IF THE VALUE OF ANY SECTION 6.2/10 STATES "IF THE ACTUAL PARAMETER OF A SUBPROGRAM CALL IS A SUBCOMPONENT THAT DEPENDS ON DISCRIMINANTS OF AN UNCONSTRAINED RECORD OF THE DISCRIMINANTS OF THE VARIABLE IS CHANGED BY THIS EXECUTION ...
- 11 THE VALUE OF C1 WILL CHANGE DEPENDING ON HOW THE RECORD PARAMETER IS IMPLEMENTATION IS ALLOWED TO USE EITHER METHOD FOR RECORD PARAMETERS. GOES ON TO SAY "THE EXECUTION OF A PROGRAM IS ERRONEOUS IF ITS EFFECT PASSED (BY COPY OR BY REFERENCE). SECTION 6.2/7 STATES THAT AN DEPENDS ON WHICH MECHANISM IS SELECTED BY THE IMPLEMENTATION".

5

EXERCISES

WHY IS THE FOLLOWING ERRONEOUS?

```
WHY CAN THE VALUE OF A.C2 BE EITHER "ABC" OR "DEF". IS THE PROGRAM ERRONEOUS?
                                                                                                                                                                                       -- erroneous
           type Rec (D : Boolean := True) is record case D is
                                       when True => Cl : Character;
when False => C2 : Integer;
                                                                                             procedure P (Ch : out Character) is begin
                                                                                                                                                                                                                                                 type Rec is record
C1: Boolean;
C2: String (1...3);
end record;
A: Rec := (True, "BCD");
procedure P (Y: in out Rec) is begin
                                                                                                                               Rc := Rec'(False,3);
Ch := 'b';
                                                                                                                                                                                                                                                                                                                                                     A.Cl := False;
1f V.Cl then
V.C2 := "ABC";
                                                                                                                                                                                                                                                                                                                                                                                                       Y.C2 := "DEF";
end if;
                                                                                                                                                                                                                                                                                                                                                                                                 ...d if;
Y.Cl := False;
end P;
begin
P(A);
end;
                                                                 end case;
                                                                             end record;
Rc : Rec;
                                                                                                                                                           end;
begin
P (Rc.Cl);
                                                                                                                                                                                                                      GIVEN THE FOLLOWING
                                                                                                                                                                                                                                            declare
declare
                                                                                                                                                                                                  end;
```

ANSWERS (CONTINUED):

- LIKEWISE DEFINED FOR FORMAL PARTS, DISCRIMINANT PARTS, AND TYPE MARKS ..." SEQUENCE OF LEXICAL ELEMENTS ... " SECTION 6.3.1/6 STATES "CONFORMANCE IS NO IN BOTH CASES. SECTION 6.3.1/5 STATES "TWO SUBPROGRAM SPECIFICATIONS ARE SAID TO CONFORM IF ... BOTH SPECIFICATIONS ARE FORMED BY THE SAME
- EXPRESSION IS EVALUATED BEFORE THE CALL AND THE RESULTING VALUE IS USED AS WHEN THE PROCEDURE Proc IS CALLED WITHOUT AN ACTUAL PARAMETER. SECTION 6.4.2/2 STATES "FOR ANY OMITTED PARAMETER ASSOCIATION, THE DEFAULT AN IMPLICIT ACTUAL PARAMETER."

EXERCISES (CONTINUED)

DO THE TYPE DECLARATIONS OF PV CONFORM?

type Pv (C: Integer; D: Integer) is record null; end record; end back; package Pack is type Pv (C,D : Integer) is private; procedure Proc (X: Integer); private

DO THE PROCEDURE SPECIFICATIONS CONFORM?

package body Pack is procedure Proc (X : in Integer) is begin null; end Pack;

IN THE FOLLOWING

type Int is 1 .. 10; procedure Proc (X : Int := 11) is begin null; WHEN, IF EVER, WILL Constraint_Error BE RAISED?

THESE TERMS ARE USED IN SECTION 6.2 WHEN TALKING ABOUT PARAMETER MODES, AND SPECIFICALLY WHAT MAY BE DONE INSIDE THE SUBPROGRAMS WITH PARAMETERS OF CERTAIN MODES.

IMPORTANT DEFINITIONS

READ - WHEN AN OBJECT'S VALUE IS EVALUATED

UPDATED - WHEN AN ASSIGNMENT IS PERFORMED ON A VARIABLE

DO NOT SKIP. THIS SECTION IS VERY IMPORTANT. ALLOW 60 MINUTES FOR THIS SECTION. MAJOR POINT HERE IS THAT MUCH OF THE CHAPTER IS UNDEFINED.

VG 703

12-1

Section 12

LRM - CHAPTER 9

TASKS

POINT OUT THAT SECTION 9.12 IS NOT CONSIDERED TO BE PART OF THE STANDARD.

VG 703

12-11

SECTION TOPICS

Д

- TASK SPECIFICATIONS AND TASK BODIES
- TASK TYPES AND TASK OBJECTS 9.2
- TASK EXECUTION TASK ACTIVATION 9.3
- TASK DEPENDENCE TERMINATION OF TASKS 9.4
- ENTRIES, ENTRY CLASS, AND ACCEPT STATEMENTS 9.5
- DELAY STATEMENTS, DURATION, AND TIME 9.6
- 9.7
- SELECT STATEMENTS
 9.7.1 SELECTIVE WAITS
 9.7.2 CONDITIONAL ENTRY CALLS
 9.7.3 TIMED ENTRY CALLS
- PRIORITIES 9.8
- TASK AND ENTRY ATTRIBUTES 9.9
- ABORT STATEMENTS 9.10
- SHARED VARIABLES 9.11
- EXAMPLE OF TASKING 9.12

DIRECT DEPENDENCE IS DISCUSSED IN SECTION 9.4/1-4. IT IS IMPORTANT TO UNDERSTAND DEPENDENCIES IN ORDER TO AVOID TASKING PROBLEMS, SUCH AS DEADLOCK.

VG 703

DIRECT DEPENDENCE

EVALUATION OF AN ALLOCATOR DEPENDS ON THE MASTER THAT ELABORATES THE A TASK DESIGNATED BY A TASK OBJECT OR SUBCOMPONENT CREATED BY THE CORRESPONDING ACCESS TYPE DEFINITION A TASK DESIGNATED BY ANY OTHER TASK OBJECT DEPENDS ON THE MASTER WHOSE EXECUTION CREATES THE TASK OBJECT

IMPORTANT. IF TIME PERMITS, ALLOW STUDENTS TIME TO READ THIS SECTION AND DISCUSS ANY TASK TERMINATION IS DEFINED IN SECTION 9.4/5-10. POINT TO NOTE, SECTION 9.4 IS QUESTIONS.

TASK TERMINATION

Ţ

- WHEN NO DEPENDENT TASKS, TERMINATION TAKES PLACE WHEN EXECUTION HAS COMPLETED
- WHEN DEPENDENT TASKS, TERMINATION TAKES PLACE WHEN ITS EXECUTION IS COMPLETE AND ALL DEPENDENT TASKS HAVE TERMINATED

SHARED VARIABLES ARE DISCUSSED IN SECTION 9.11. THE SECOND POINT IS THE IMPORTANT POINT

HERE.

VG 703

SHARED VARIABLES

- VARIABLES WHICH ARE READ OR UPDATED BY MULTIPLE TASKS
- NEITHER MAY ASSUME ANYTHING ABOUT THE ORDER OPERATIONS ARE PERFORMED EXCEPT WHERE THEY SYNCHRONIZE
- THEY MAY ASSUME
- THAT IF BETWEEN TWO SYNCHRONIZATION POINTS A TASK READS A SCALAR OR ACCESS SHARED VARIABLE, THEN THE VARIABLE IS NOT UPDATED BY ANY OTHER TASK BETWEEN THESE TWO POINTS
- THAT IF BETWEEN TWO SYNCHRONIZATION POINTS, A TASK UPDATES A SHARED NEITHER READ OR UPDATED BY ANY OTHER TASK AT ANY TIME BETWEEN THESE VARIABLE WHOSE TYPE IS SCALAR OR ACCESS, THEN THE VARIABLE IS TWO POINTS

THE SYNCHRONIZATION POINTS ARE DEFINED IN SECTION 9.5.

12-51

VG 703

SYNCHRONIZATION POINTS

TWO TASKS ARE SYNCHRONIZED AT THE

START AND END OF A RENDEZVOUS

START AND END OF ACTIVATION

A COMPLETED TASK IS SYNCHRONIZED WITH ANY OTHER TASK

VG 703

ALLOW 10 MINUTES FOR THIS EXERCISE.

ANSWER:

SECTION 9.6/3 STATES "THE SIMPLE EXPRESSION MUST BE OF THE PREDEFINED FIXED POINT TYPE DURATION ... THE TYPE OF X IS FLOAT.

EXAMPLE PROBLEM

WHY IS THE DELAY STATEMENT ILLEGAL?

task T is

entry El;

end T;

task body T is

X : constant Float := 20.0;

begin

select

accept El;

OF

delay X;

end select;

end T;

ALLOW 30 MINUTES FOR THESE EXERCISES.

ANSMERS:

9.3/2). TASK B AND C START EXECUTION WHEN THEY ARE ASSIGNED new T, SECTION TASK A STARTS EXECUTION JUST AFTER PASSING THE begin IN Proc. (SECTION 9.3/6 STATES "A TASK OBJECT THAT IS THE OBJECT ... CREATED BY THE EVALUATION OF AN ALLOCATOR IS ACTIVATED BY THIS EVALUATION." HOLDS TRUE FOR TASK C EVEN THOUGH IT IS IN A DECLARATIVE PART. WHEN DOES THE EXECUTION OF EACH TASK START?

procedure Proc is task type T is end T; type Act is access T; A : T; B : Act; task body T is begin C : Act := new T; begin null; null;
end T;
begin -- Proc
B := new T;
declare end Proc;

ANSWERS (CONTINUED):

5

ENCOUNTERED, EXECUTION OF THE TASK IS SUSPENDED (9.5/12) UNTIL ITS ENTRY IS EXECUTION OF THE CALLER IS SUSPENDED WHILE THE ACCEPT STATEMENT IN THE TASK CALLED. NOW BOTH ARE SUSPENDED, EACH WAITING FOR THE OTHER. THIS IS IS EXECUTED. (9.5/14). INSIDE THE ACCEPT, THE ACCEPT FOR Inner IS SECTION 9.5/11 - 14 STATES THAT WHEN ENTRY T.Outer GETS CALLED THE CALLED A DEADLOCK.

EXERCISES (CONTINUED)

WHY DOES EXECUTION NEVER REACH POINT 12

entry Outer; entry Middle; entry Inner; end T; declare task T is

accept Inner do null; accept Outer do accept Middle do task body T is begin

end Inner; end Middle; end Outer; begin T

-- Point 1 T.Outer; T.Middle; T.Inner;

THESE ARE THE LANGUAGE TERMS DEFINED IN THIS CHAPTER.

12-91

VG 703

IMPORTANT DEFINITIONS

A TASK, CURRENTLY EXECUTING BLOCK STATEMENT OR ENTITIES WHOSE EXECUTION PROCEEDS IN PARALLEL SYNCHRONIZATION OR INTERACTION BETWEEN TASKS ACCESSED BY MULTIPLE PROGRAM UNITS SUBPROGRAM, OR A LIBRARY PACKAGE (THIS INCLUDES THE MAIN PROGRAM) STATE OF AN ABORTED TASK ONE WHICH HAS A MASTER FINISHED EXECUTION DEPENDENT TASK RENDEZVOUS COMPLETED ABNORMAL SHARED MASTER TASK

ALLOW 30 MINUTES FOR THIS SECTION.

VG 703

Section 13 LRM - CHAPTER 12

GENERIC UNITS

POINT OUT THAT SECTION 12.4 IS NOT CONSIDERED TO BE PART OF THE STANDARD.

VG 703

SECTION TOPICS

12.1 GENERIC DECLARATIONS

12.1.1 GENERIC FORMAL OBJECTS

12.1.2 GENERIC FORMAL TYPES

12.1.3 GENERIC FORMAL SUBPROGRAMS

12.2 GENERIC BODIES

12.3 GENERIC INSTANTIATION

2.3.1 MATCHING RULES FOR FORMAL OBJECTS

12.3.2 MATCHING RULES FOR FORMAL PRIVATE TYPES

12.3.3 MATCHING RULES FOR FORMAL SCALAR TYPES

MATCHING RULES FOR FORMAL ARRAY TYPES

12.3.4

12.3.5 MATCHING RULES FOR FORMAL ACCESS TYPES

12.3.6 MATCHING RULES FOR FORMAL SUBPROGRAMS

12.4 EXAMPLE OF A GENERIC PACKAGE

ALLOW 5 MINUTES FOR THIS EXERCISE.

ANSMER:

THE INSTANTIATION IS ILLEGAL BECAUSE OF HOW THE PRIVATE TYPE PV IS USED WITHIN THE GENERIC PACKAGE. IT IS USED TO DECLARE AN OBJECT. THIS PLACES THE RESTRICTION ON THE PRIVATE TYPE THAT THE ACTUAL TYPE MUST BE CONSTRAINED (WHICH String ISN'T). SEE SECTION 12.3.2/4.

REFER STUDENTS TO HANDOUT FOR COMPILER'S ERROR REPORT.

VG 703

EXAMPLE PROBLEM

WHY IS THE FOLLOWING INSTANTIATION ILLEGAL?

generic

type Pv is private;

package Pk is

obj : Pv;

end Pk;

package Npk is new Pk (String); -- illegal

13-2

VG 703

ALLOW 20 MINUTES FOR THESE EXERCISES.

ANSWERS:

- THIS ONE IS TRICKY. ALTHOUGH SECTION 12.1/5 STATES "... WITHIN THE DECLARATIVE REGION ... THE NAME OF THIS PROGRAM UNIT DENOTES THE SUBPROGRAM OBTAINED BY THE CURRENT INSTANTIATION OF THE GENERIC UNIT." THE REAL REASON IT IS ILLEGAL IS BECAUSE THE OUTER F IS HIDDEN (SECTION 8.3) AND THE GENERIC F CANNOT BE REFERRED TO UNTIL ITS BODY.
- SECTION 12.1.2/2 STATES "THE ONLY FORM OF DISCRETE RANGE THAT IS ALLOWED WITHIN THE DECLARATION OF A GENERIC FORMAL (CONSTRAINED) ARRAY TYPE IS A TYPE MARK." I .. 10 IS NOT A TYPE MARK (3.3.2/2) 7

PRIVATE TYPE A GENERIC FORMAL STATES "THE DISCRIMINANT PART OF A DEFAULT EXPRESSION ..." SECTION 12.1.2/3 MUST NOT INCLUDE PARAMETER OF MODE in out OF A GIVEN OF THE SAME TYPE." ((3*6)**2) IS NOT SECTION 12.3.1/1 STATES "A GENERIC FORMAL TYPE IS MATCHED BY THE NAME OF A VARIABLE THE NAME OF A VARIABLE. 5

SECTION 12.3.3/1 STATES "A GENERIC FORMAL TYPE DEFINED BY (<>) IS MATCHED ANY DISCRETE SUBTYPE." FLOAT IS NOT A DISCRETE SUBTYPE. "A GENERIC FORMAL TYPE DEFINED BY range <> IS BOOLEAN IS NOT AN INTEGER SUBTYPE. THIS SAME SECTION GOES ON TO SAY MATCHED BY ANY INTEGER SUBTYPE".

REFER STUDENTS TO HANDOUT FOR COMPILER'S ERROR REPORT.

EXERCISES

I

GIVEN

function F return Integer;

with F;
package P is
 X : Integer := F;
 generic
 Y : Integer := F;
 function F (A : Integer) return Integer;
end P;

WHY IS THE SECOND DEFAULT EXPRESSION ILLEGAL?

2. WHY IS THE FOLLOWING ILLEGAL?

-- illegal -- illegal type Arr is array (1 .. 10) of Boolean; type Pv (D : Boolean := True) is private; package Gp 1s end Gp; generic

3. WHAT IS WRONG WITH THE FOLLOWING INSTANTIATION?

generic
 Z : in out Integer;
 type Tl is (<>);
 type T2 is range <>;
package P is end P;

package Np is new P (((3*6)**2), Float, Boolean);

VG 703

THESE ARE THE IMPORTANT LANGUAGE TERMS DEFINED IN THIS CHAPTER.

BREAK FOR LUNCH HERE.

VG 703

IMPORTANT DEFINITIONS

TEMPLATE - CONSTRUCTION OR BUILDING TOOL

INSTANCES - OCCURRENCE OR COPY

- STRUCTURALLY THE SAME

MATCH

ALLOW 30 MINUTES FOR THIS SECTION.

14-1

VG 703

Section 14

LRM - CHAPTER 11

EXCEPTIONS

THESE ARE THE TOPICS COVERED IN THIS CHAPTER.

VG 703

SECTION TOPICS

- 11.1 EXCEPTION DECLARATIONS
- 11.2 EXCEPTION HANDLERS
- 11.3 RAISE STATEMENTS
- 11.4 EXCEPTION HANDLING
- EXCEPTIONS RAISED DURING THE EXECUTION OF STATEMENTS 11.4.1
- EXCEPTIONS RAISED DURING THE ELABORATION OF DECLARATIONS
- 1.5 EXCEPTIONS RAISED DURING TASK COMMUNICATION
- 11.6 EXCEPTIONS AND OPTIMIZATION
- 11.7 SUPPRESSING CHECKS

ALLOW 5 MINUTES FOR THIS EXERCISE.

ANSMER:

AVAILABLE FOR THE COLLECTION OF ALLOCATED OBJECTS IS EXHAUSTED." SECTION 11.1/8 STATES "THIS EXCEPTION IS RAISED .. IF THE SPACE

FIRST, IT TOLD THE COMPILER TO TAKE THE DEFAULT VALUE IN TYPE REC FOR THE INITIAL WHEN R WAS DECLARED, NO STORAGE NEEDED FOR THIS OBJECT IS ENOUGH STORAGE TO HOLD THE BIGGEST R POSSIBLE, HOW MUCH SPACE IS NEEDED FOR R? R HAS TWO COMPONENTS, D, THE DISCRIMINANT, AND CHANGE AND THE STRING SIZE CAN CHANGE. DUE TO THIS SECOND FACT, THE AMOUNT OF VALUE OF D, AND SECOND, IT TOLD THE COMPILER THAT THIS DISCRIMINANT VALUE CAN EXPLICIT VALUE WAS GIVEN FOR THE DISCRIMINANT. THIS ESTABLISHED TWO THINGS. St, A STRING WHOSE LENGTH DEPENDS ON THE DISCRIMINANT. THAT IS WHEN D IS Integer'Last.

EASILY THIS COULD RAISE Storage_Error.

VG 703

EXAMPLE PROBLEM

THE FOLLOWING RAISES Storage_Error. WHY?

type Rec (D: Integer := 0) is record
St : String (1 .. D);
end record;

R : Rec; -- Storage_Error

ALLOW 20 MINUTES FOR THESE PROBLEMS.

ANSWERS:

- EXCEPTION IS A RESERVED WORD, NOT THE NAME OF A TYPE. 3.6/2 WHAT FOLLOWS "OF" IN THE SYNTAX MUST BE THE NAME OF A TYPE. 2.9/3 - A RESERVE WORD MUST NOT BE USED AS A DECLARED IDENTIFIER.
- SECTION 11.1/7 STATES "THIS EXCEPTION IS ALSO RAISED IF THE END OF FUNCTION IS REACHED ..." 2
- PERMISSION ... THE KEYWORD HERE IS PERMISSION. IT IS NOT A DIRECTIVE OR BECAUSE SECTION 11.7/1 STATES "THE PRESENCE OF A SUPPRESS PRAGMA GIVES AN ORDER THAT THE COMPILER MUST OBEY. AN IMPLEMENTATION IS FREE TO CONTINUE MAKING CHECKS.

EXERCISES

```
1. WHY IS THE FOLLOWING ILLEGAL?
```

type I is array (1 .. 10) of exception;

2. WHY IS Program Error RAISED HERE?

declare
 C : Character;
 function F (B: Boolean) return Character is
 begin -- F
 if B then
 return 'a';
 end if;
 end if;
 begin
 C := F (False); -- Program_Error
end;

3. IN THE FOLLOWING,

WHY CAN THE PROGRAM LEGALLY RAISE Constraint_Error WHEN X IS ASSIGNED THE VALUE 21?

VG 703

4-3

. •

THESE ARE THE IMPORTANT LANGUAGE TERMS DEFINED IN THIS CHAPTER. THESE SHOULD BE WELL KNOWN TO THE STUDENTS.

VG 703

IMPORTANT DEFINITIONS

EXCEPTION	ı	ERRORS	8	OTHER	ERRORS OR OTHER EXCEPTIONAL SITUATIONS THAT ARISE DURING	SITUATIONS	THAT	ARISE	DURING	
		70000	Ĺ	11100						
		PROPERTY FARCOLLOS	ב ב	てしついず	5					

- AB	ABANDON NORMAL PROGRAM EXECUTION TO DRAW ATTENTION TO THE
00	CORRESPONDING ERROR SITUATION

OF AN	
ARISING	
王	
10	
RESPONSE	
N.	
ACTIONS	•
SOME	
EXECUTING SOME ACTIONS IN RESPONSE TO THE ARISING OF AN	EXCEPTION
ı	
HANDLING	

ALLOW 30 MINUTES FOR THIS SECTION. IF SHORT ON TIME THIS SECTION CAN BE SKIPPED.

VG 703

15.1

Section 15

LRM - CHAPTER 10

PROGRAM STRUCTURE AND COMPILATION ISSUES

THESE ARE THE TOPICS COVERED IN CHAPTER 10.

VG 703

15-11

SECTION TOPICS

D

10.1 COMPILATION UNITS - LIBRARY UNITS

10.1.1 CONTEXT CLAUSES - WITH CLAUSES

10.1.2 EXAMPLES OF COMPILATION UNITS

10.2 SUBUNITS OF COMPILATION UNITS

10.2.1 EXAMPLES OF SUBUNITS

10.3 ORDER OF COMPILATION

10.4 THE PROGRAM LIBRARY

10.5 ELABORATION OF LIBRARY UNITS

10.6 PROGRAM OPTIMIZATION

L

ALLOW 5 MINUTES FOR THIS EXERCISE.

ANSWER:

SECTION 10.2/5 STATES "EACH SUBUNIT MENTIONS THE NAME OF ITS PARENT UNIT, THAT IS, THE COMPILATION UNIT WHERE THE CORRESPONDING BODY STUB IS GIVEN ... IF THE PARENT EXPANDED NAME, STARTING WITH THE SIMPLE NAME OF THE ANCESTOR LIBRARY UNIT." UNIT IS ITSELF A SUBUNIT, THE PARENT UNIT NAME MUST BE GIVEN IN FULL AS AN

EXAMPLE PROBLEM

WHY IS THE SECOND SEPARATE CLAUSE ILLEGAL?

procedure Main is

procedure Proc is separate;

begin

-- some sequence of statements

end Main;

separate (Main) procedure Proc is

function fn return Boolean is separate; begin

-- some sequence of statements end Proc;

separate (Proc) -- illegal function fn return Boolean is begin

... -- some sequence of statements return True; end Fn;

ALLOW 20 MINUTES FOR THESE EXERCISES.

ANSMERS:

- ANY, OF A MAIN PROGRAM ... IN ANY CASE, EVERY IMPLEMENTATION IS REQUIRED TO IT IS IMPLEMENTATION-DEPENDENT. SECTION 10.1/8 STATES "AN IMPLEMENTATION MAY IMPOSE CERTAIN REQUIREMENTS ON THE PARAMETERS AND ON THE RESULT, IF ALLOW, AT LEAST, MAIN PROGRAMS THAT ARE PARAMETERLESS PROCEDURES ..."
- Put_line IS AN UNDECLARED IDENTIFIER BECAUSE THE ENTITIES KNOWN TO Proc ARE STATES "THE WITH CLAUSES AND USB CLAUSES OF THE CONTEXT CLAUSE OF A LIBRARY UNIT APPLY TO THIS UNIT AND ALSO TO THE SECONDARY UNIT THAT DEFINES THE ONLY THOSE THAT ARE DECLARED IN Proc OR IN PACKAGE A. SECTION 10.1.1/4 CORRESPONDING BODY ... " Text_IO IS ONLY APPLIED TO PACKAGE A.

5

EXERCISES

- CAN A MAIN PROGRAM BE A PROCEDURE WITH FORMAL PARAMETERS? CAN A MAIN PROGRAM BE A FUNCTION?
- 2. WHY IS THE FOLLOWING ILLEGAL?

```
with Text IO; use Text_IO;
package A is
    type Int is range 1 .. 100;
    package Int_IO is new Integer_IO (Int);
end A;
with A;
with A;
procedure Proc is
    Num : A.Int;
begin -- Proc
Put Line ("ENTER A NUMBER LESS THAN 10"); -- illegal
A.Get (Num);
Num := Num * Num;
A.Put (Num);
end Proc;
```

Ĺ

Ĭ

L

Ĺ

7

THESE ARE THE LANGUAGE TERMS DEFINED BY THIS CHAPTER.

15-41

IMPORTANT DEFINITIONS

THE COMPILATION UNITS OF A PROGRAM PROGRAM LIBRARY

- PROGRAM UNIT INVOKED BY THE ENVIRONMENT

MAIN PROGRAM

į

Ď

ALLOW 30 MINUTES FOR THIS SECTION.

VG 703

16-1

Section 16

LRM - CHAPTER 13

REPRESENTATION CLAUSES AND

IMPLEMENTATION-DEPENDENT FEATURES

POINT OUT THAT THIS CHAPTER IS ALMOST ENTIRELY DEVOTED TO IMPLEMENTATION-DEPENDENT ASPECTS OF THE LANGUAGE.

VG 703

16-11

/02

E---

₽.

•

SECTION TOPICS

REPRESENTATION CLAUSES 13.1

LENGTH CLAUSES 13.2

ENUMERATION REPRESENTATION CLAUSES 13.3

RECORD REPRESENTATION CLAUSES 13.4

ADDRESS CLAUSES
13.5.1 INTERRUPTS 13.5

CHANGE OF REPRESENTATION 13.6

SYSTEM-DEPENDENT NAMED NUMBERS
REPRESENTATION ATTRIBUTES
REPRESENTATION ATTRIBUTES OF REAL TYPES THE PACKAGE SYSTEM 13.7.1 13.7.2 13.7.3 13.7

MACHINING CODE INSERTIONS 13.8

INTERFACE TO OTHER LANGUAGES 13.9

UNCKECKED STORAGE DEALLOCATION UNCHECKED TYPE CONVERSIONS UNCHECKED PROGRAMMING 13.10.1 13.10.2 13.10

ALLOW 5 MINUTES FOR THIS EXERCISE.

ANSWER:

IMPLEMENTATIONS." THEREFORE, THE PRAGMA MAY BE IGNORED AND SQrt NO LONGER HAS A BODY. SECTION 6.3/3 STATES "FOR EACH SUBPROGRAM DECLARATION THERE MUST BE A CORRESPONDING BODY (EXCEPT FOR A SUBPROGRAM WRITTEN IN ANOTHER LANGUAGE, AS SECTION 13.9/4 STATES "THIS CAPABILITY NEED NOT BE PROVIDED BY ALL EXPLAINED IN SECTION 13.9)."

EXAMPLE PROBLEM

GIVES AN ERROR MESSAGE WHICH SAYS THE FUNCTION SQrt NEEDS A BODY. WHY IS AN IMPLEMENTATION ALLOWED TO REJECT THE FOLLOWING? IT

function Sqrt (X : Float) return Float;
pragma interface (Fortran, Sqrt);
begin
-- some sequence of statements
end;

VG 703

ī

•

ALLOW 20 MINUTES FOR THESE EXERCISES.

BREAK AFTER THIS.

ANSMERS:

SECTION 13.3/4 STATES "THE INTEGER CODES SPECIFIED FOR THE ENUMERATION TYPE MUST SATISFY THE PREDEFINED ORDERING RELATION OF THE TYPE."

AGGREGATES MUST BE SECTION 13.3/2, WHAT FOLLOWS THE USE IS AN AGGREGATE. COMPLETE (SECTION 4.3/6).

- SECTION 13.8/3 STATES "IF A PROCEDURE BODY CONTAINS CODE STATEMENTS, THEN WITHIN THIS PROCEDURE BODY THE ONLY ALLOWED FORM OF STATEMENT IS A CODE STATEMENT..., THE ONLY ALLOWED DECLARATIVE ITEMS ARE USE CLAUSES ..."
- 3. A 2 B - WHT

5

C - 1

SECTION 13.3/4 STATES "THE INTEGER CODES ... MUST SATISFY THE PREDEFINED ORDERING. THEY DO NOT REPLACE OR SUPERSEDE THE PREDEFINED ORDERING. TO ATTRIBUTES ARE DEFINED ACCORDING TO THE PREDEFINED ORDERING.

EXERCISES

IN THE FOLLOWING, WHY IS THE REPRESENTATION CLAUSE ILLEGAL?

-- illegal type Stat is (On, Off, Pending); for Stat use (1, -1, 0);

null; begin

end:

type Color is (Red, Blue, Yellow); for Color use (3, 4); -- illegal declare

null; begin

end;

WHY IS THE FOLLOWING ILLEGAL? 2

procedure Code_Something is use Machine_Code; Stat : array (1 .. 10) of Boolean;

begin

end Code_Something;

IF YOU HAVE AN ENUMERATION TYPE

type Color is (Red, White, Blue);

AND THE REPRESENTATION CLAUSE

for Color use (1, 6, 9);

WHAT ARE THE VALUES OF

Color'Pos (Blue) Color'Val (1)

Color'Pos (White)

16-3

THIS CHAPTER IS FAIRLY STRANGHT FORWARD. IT MAY BE SKIPPED IF TIME IS SHORT.

ALLOW 25 MINUTES FOR THIS SECTION.

Section 17

LRM - CHAPTER 5

STATEMENTS

THESE ARE THE TOPICS COVERED IN THIS CHAPTER. POINT OUT THAT SECTION 5.2.1 HAS ABOUT THE ONLY INTERESTING SEMANTIC ISSUE, ARRAY SLIDING.

17-11

SECTION TOPICS

Y

- SIMPLE AND COMPOUND STATEMENTS SEQUENCE OF STATEMENTS 5.1
- 5.2 ASSIGNMENT STATEMENT
- 5.2.1 ARRAY ASSIGNMENTS
- 5.3 IF STATEMENTS
- 5.4 CASE STATEMENTS
- 5.5 LOOP STATEMENTS
- 5.6 BLOCK STATEMENTS
- 5.7 EXIT STATEMENTS
- 5.8 RETURN STATEMENTS
- 5.9 GOTO STATEMENTS

ALLOW 5 MINUTES FOR THIS EXERCISE.

ANSMER:

SECTION 5.4/4 STATES "... EACH VALUE OF THE SUBTYPE MUST BE REPRESENTED ONCE AND ONLY ONCE IN THE SET OF CHOICES ...

1 .. 100, NOT INTEGER 1 .. 10. THEREFORE, ALL VALUES OF THE SUBTYPE MUST BE IN THE INNER CASE STATEMENT THE SUBTYPE OF THE CASE EXPRESSION I IS INTEGER COVERED, IE. AN others CLAUSE IS NEEDED.

EXAMPLE PROBLEM

WHY IS THE INNER CASE STATEMENT ILLEGAL?

for I in 1 .. 100 loop

case I is

when 1 .. 10 =>

case I is

when 1 .. 5 => Do_Something;

when 6 .. 10 => Do_Something_Else;

end case;

-- illegal

when others => null;

end case;

end loop;

ALLOW 20 MINUTES FOR THESE EXERCISES.

ANSWERS:

SECTION 5.2/1 STATES "THE NAMED VARIABLE AND THE RIGHT HAND SIDE EXPRESSION MUST BE OF THE SAME TYPE; THE TYPE MUST NOT BE A LIMITED TYPE."

A SIMPLE EXPRESSION (SECTION 4.4/2) DOES NOT INCLUDE RELATIONAL AN EXPRESSION WHICH APPEARS IN A CHOICE MUST BE A SIMPLE EXPRESSION OPERATORS UNLESS THE EXPRESSION IS ENCLOSED IN PARENTHESES. (3.7.3/2). 5

REFER STUDENTS TO HANDOUT FOR COMPILER'S ERROR REPORT.

VG 703

17-31

EXERCISES

.. WHY IS THE FOLLOWING ASSIGNMENT STATEMENT ILLEGAL?

package Pack is

type Lp is limited private;
function Flp return Lp;
Lp_Obj: Lp := Flp;
private
type Lp is new Boolean;
end Pack;

2. WHY IS THE FOLLOWING ILLEGAL?

-- some sequence of statements where Answer receives when 1 > 2 =>
Put Line ("Strange occurrence here");
when others => null;
end case; Answer : Boolean; declare begin

ANSWERS (CONTINUED):

۳.

(SECTION 4.4/2) CONDITION IS A BOOLEAN EXPRESSION (SECTION 5.3/2). SO THE ABOVE MUST BE SECTION 5.5/2 STATES I in Integer range 1 .. 3 MUST BE A CONDITION. LEGAL EXPRESSION OF THE FORM Simple_expression in Range. I IS CERTAINLY A SIMPLE EXPRESSION. Integer range 1 .. 3, HOWEVER, IS NOT A THEREFORE, I in Integer range 1 VALID RANGE ACCORDING TO SECTION 3.5/2. 3 IS AN ILLEGAL CONDITION.

STATEMENTS AFTER THE WORD begin AND BEFORE THE WORD exception. THE GOTO IS 5.6/2 THE INNERMOST SEQUENCE OF STATEMENTS IN THE BLOCK STATEMENT ARE THOSE SECTION 5.9/3 STATES "THE INNERMOST SEQUENCE OF STATEMENTS THAT ENCLOSES THE TARGET STATEMENT MUST ALSO ENCLOSE THE GOTO STATEMENT," IN SECTION NOT IN THAT INNERMOST SEQUENCE OF STATEMENTS.

REFER STUDENTS TO HANDOUT FOR COMPILER'S ERROR REPORT.

EXERCISES (CONTINUED)

1

WHY IS THE FOLLOWING ILLEGAL? **m** I := 1;
while I in Integer range 1 .. 3 loop
I := I + l;
end loop;

WHY IS THE FOLLOWING GOTO STATEMENT ILLEGAL?

when Numeric_error => Ans := Some_Very_Large_Number; goto 1; when others => Put_line ("Error"); Get (Num);
Ans := 30.0 / Num;
<<1>> Put (Ans);
exception end;

17-4

THESE ARE THE LANGUAGE TERMS DEFINED IN THIS CHAPTER.

VG 703

17-51

IMPORTANT DEFINITIONS

STATEMENT - AN ACTION TO BE PERFORMED

THE PROCESS BY WHICH A STATEMENT ACHIEVES ITS ACTION • EXECUTION

DO NOT SKIP. THIS CHAPTER IS IMPORTANT. ALLOCATE 55 MINUTES FOR THIS CHAPTER.

18-1

VG 703

87

Section 18 CHAPTER 14 INPUT-OUTPUT

POINT OUT THAT SECTION 14.7 IS NOT CONSIDERED TO BE PART OF THE STANDARD.

18-11

SECTION TOPICS

14.1 EXTERNAL FILES AND FILE OBJECTS

14.2 SEQUENTIAL AND DIRECT FILES

14.2.1 FILE MANAGEMENT

14.2.2 SEQUENTIAL INPUT-OUTPUT

14.2.3 SPECIFICATION OF THE PACKAGE SEQUENTIAL_IO

14.2.4 DIRECT INPUT-DUTPUT

4.2.5 SPECIFICATION OF THE PACKAGE DIRECT_IO

14.3 TEXT INPUT-OUTPUT

14.4 EXCEPTIONS IN INPUT-OUTPUT

14.5 SPECIFICATION OF THE PACKAGE IO-EXCEPTIONS

14.6 LOW LEVEL INPUT-OUTPUT

14.7 EXAMPLE OF INPUT-OUTPUT

ŗ

Ļ

THESE ARE FURTHER SUBTOPICS IN SECTION 14.3.

18-21

SUBSECTIONS

14.3 TEXT INPUT-OUTPUT

- 14.3.1 FILE MANAGEMENT
- 14.3.2 DEFAULT INPUT AND OUTPUT FILES
- 14.3.3 SPECIFICATION OF LINE AND PAGE LENGTHS
- 14.3.4 OPERATIONS ON COLUMNS, LINES, AND PAGES
- 14.3.5 GET AND PUT PROCEDURES
- 14.3.6 INPUT-OUTPUT OF CHARACTERS AND STRINGS
- 14.3.7 INPUT-OUTPUT FOR INTEGER TYPES
- 14.3.8 INPUT-OUTPUT FOR REAL TYPES
- 14.3.9 INPUT-DUTPUT FOR ENUMERATION TYPES
- 14.3.10 SPECIFICATION OF THE PACKAGE TEXT_IO

ALLOW 15 MINUTES FOR THIS EXERCISE.

ANSWER:

SECTION 14.3.4/24 STATES END OF FILE "RETURNS True IF A FILE TERMINATOR IS NEXT, OR IF THE COMBINATION OF A LINE, A PAGE, AND A FILE TERMINATOR IS NEXT; OTHERWISE RETURNS False."

SECTION 14.3.2/4 STATES Reset FOR FILES OF MODE OUT FILE "HAS THE EFFECT OF CALLING New Page, UNLESS THE CURRENT PAGE IS ALREADY TERMINATED; THEN OUTPUTS FILE TERMINATOR."

CONSEQUENTLY, File CONTAINS THE FOLLOWING SEQUENCE:

"LF, LF, LF, NP, LF, LF, NP, EOF"

A LINE TERMINATOR, NP IS A PAGE TERMINATOR, AND EOF IS A FILE WHERE LF IS TERMINATOR.

SKIPPING ANY LINE TERMINATORS, AND ANY PAGE TERMINATORS, (Get) READS THE NEXT CHARACTER... SECTION 14.3.6/4 STATES "THE EXCEPTION End erfor is raised if an attempt is made to skip a file terminator." THE LOOP THIS SEQUENCE WILL CAUSE End of File TO RETURN False. THE LOOP ENTERED AND A Get IS ATTEMPTED. SECTION 14.3.6/3 STATES "AFTER

EXAMPLE PROBLEM

IN THE FOLLOWING,

Create (File, Out_File);

New_Line (File, 3);

New_Line (File);

New_Line (File, 2);

Reset (File, In_File);

if not End_Of_File (File) then

Get (X); -- End_Error

end if;

WHY IS End_Error RAISED?

ALLOW 40 MINUTES FOR THESE EXERCISES.

ANSWERS:

- NO, SEQUENTIAL_IO IS A GENERIC PACKAGE WITH ONE FORMAL PARAMETER, A PRIVATE TYPE. (14.1/4) ACCORDING TO THE MATCHING RULES FOR A GENERIC PRIVATE TYPE (12.3.2/2-3) TYPE String MATCHES A GENERIC PRIVATE TYPE.
- RAISED BY ANY OF THE PROCEDURES Get, Get_Line, Put, and Put_Line IF THE THE Get RAISES Status_Error. SECTION 14.3.5/9 STATES "Status_Error IS FILE TO BE USED IS NOT OPEN."

3

- ACTUAL PARAMETERS ASSOCIATED WITH FORMAL PARAMETERS OF MODE Reset'S FORMAL PARAMETER FILE IS OF MODE in out (SECTION Standard_Output IS A FUNCTION WHICH RETURNS File_Type (SECTION in out MUST BE THE NAME OF A VARIABLE (SECTION 6.4.1/3). 14.2.1/14). 14.3.2/10). . 9
- BOTH NUM AND L HAVE UNDEFINED VALUES. SECTION 14.3.6/9 STATES THAT Get FOR NUMBER OF Get OPERATIONS FOR SUCCESSIVE CHARACTERS OF THE STRING (IN A STRING "DETERMINES THE LENGTH OF THE GIVEN STRING AND ATTEMPTS THAT PARTICULAR, NO OPERATION IS PERFORMED IF THE STRING IS NULL.)"

VG 703

EXERCISES

```
package String_IO is new Sequential_IO (String);
IS THE FOLLOWING ILLEGAL?
```

WHAT HAPPENS IN THE FOLLOWING SITUATION? 5

with Text_IO; use Text_IO; procedure P is File: File Type; X: Character; begin -- P Create (File, In File); Set Input (File); Close (File); Get (X);

IS THE FOLLOWING ALLOWED?

Reset (Standard_Output, In_file);

IN THE FOLLOWING

package Int_10 is new Integer_10 (Integer); use Int_10; begin .. 9) := "123456789"; get (St (3 .. 2), Num, L); declare

WHAT IS THE RESULTING VALUE IN L AND IN NUM?

VG 703

THESE ARE THE IMPORTANT LANGUAGE TERMS DEFINED IN THIS CHAPTER. REMEMBER THAT IN THE LRM, WHEN IT SAYS FILE, THE LRM IS REFERRING TO THE INTERNAL FILE. THE LRM WILL EXPLICITLY STATE "EXTERNAL FILE" WHEN THAT IS WHAT IT IS REFERRING TO.

IMPORTANT DEFINITIONS

ť


A VALUE TO BE READ OR RECEIVE A VALUE TO BE WRITTEN ANYTHING EXTERNAL TO THE PROGRAM THAT CAN PRODUCE ł EXTERNAL FILE


FILE - INTERNAL FILE OBJECT

WHEN A FILE IS ASSOCIATED WITH AN EXTERNAL FILE

OPEN

CLOSED - WHEN NOT OPEN





MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

THANK THE STUDENTS ALLOW 10 MINUTES FOR THIS SECTION. THIS IS THE END OF THE COURSE. FOR THEIR TIME AND ATTENTION. PASS OUT COURSE EVALUATION FORMS.

VG 703

19-1

Section 19

B

Ë

CONCLUSION

BULLET 1

- SHOULD A THE LRM IS THE FINAL ARBITER! IT DICTATES WHAT IS LEGAL. QUESTION ARISE, THE ADA BOARD INTERPRETS THE ISSUE.
- LANGUAGE, YOU CAN RESOLVE A DISAGREEMENT BETWEEN YOUR PROGRAM AND COMPILER! BY LEARNING TO READ THE LRM, UNDERSTANDING ITS ORGANIZATION AND FORMAL
- OLDER REFERENCES DON'T COUNT! (E.G. ADA 80, ADA 82).

BULLET 2

- FOR EXAMPLE,
- HANDLING OF ERRONEOUS PROGRAMS
- DEFINITION OF
- TYPE INTEGER
- PACKAGE SYSTEM
- IMPLEMENTATION-DEFINED ATTRIBUTES
- APPENDIX F

VG 703

19-11

SUMMARY

C

E

ANSI STANDARD LRM IS THE ONLY COMPLETE AND (BY DEFINITION) CORRECT SPECIFICATION OF THE ADA LANGUAGE LRM ALLOWS SOME AREAS OF THE LANGUAGE TO BE IMPLEMENTATION DEPENDENT

BULLET 1

LOOK IT UP BECAUSE THE WORDING IS RELEVANT

BULLET 2

REASSURE THE STUDENTS

BULLET 3

THE VALIDATION SUITE THE COMPILER WAS TESTED WITH MAY NOT HAVE CONTAINED ADDITION OF NEW TESTS AND CHALLENGES TO EXISTING TESTS. ALSO, IT IS NOT THE TEST CASE IN QUESTION. ALSO, THE VALIDATION SUITE CHANGES WITH THE POSSIBLE TO CATCH ALL ERRORS BY TESTING.

VG 703

19-21





AD-A143 582 ADA (TRADEMARK) TRAINING CURRICULUM USING THE ADA LANGUAGE REFERENCE MANUAL L402 TEACHER'S GUIDE(U) SOFTECH INC WALTHAM MA JUL 84 DAAB07-83-C-K514 VINCLASSIFIED

BEND STATE OF THE STATE OF



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1965-4

SUPPLEMENTARY

INFORMATION



DEPARTMENT OF THE ARMY

HEADQUARTERS US ARMY COMMUNICATIONS-ELECTRONICS COMMAND AND FORT MONMOUTH FORT MONMOUTH, NEW JERSEY 07703

REPLY TO

1 5 OCT 1984

Center for Tactical Computer Systems

583 A143 4 P

Ms. Madeline Crumbacker Defense Tactical Information Center Cameron Station Alexandria, Virginia 22314

Dear Ms. Crumbacker:

As per phone conversation with Ms. Andrea Cappellini, CENTACS on 11 October 1984, a copyright statement has been emitted on documents sent to DTIC and NTIS. Enclosed please find the copyright statement (Encl 1) that must appear in the enclosed list of document (Encl 2). If you have any questions, please contact Ms. Cappellini at 201-544-4280.

Sincerely,

JAMES E. SCHELL Director, CENTACS

Copyright by SofTech, Inc. 1984. This material may be reproduced by or for the U.S. Government pursuant to the copyright license under DAR clause 7-104.9 (a) (May 81).